

PIERCE & STEVENS 716-856-4910
P.O. Box 1092
Buffalo, NY 14240
E-911 EMERGENCY CHEMTel (800)255-3924 (24hrs)
INFORMATION PHONE NO. 800-888-4910 (M-F 8am-5pm ET)

H.M.I.S.
HEALTH 0
FLAMMABILITY 0
REACTIVITY 0

These ratings should be used only
as part of fully implemented H.M.I.S. program.

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT INFORMATION

DATE OF PREPARATION 12/06/98

TRADE NAME **DUALITE***
MANUFACTURER CODE I.D. M6001AE

SECTION 2 - HAZARDOUS INGREDIENTS/COMPOSITION INFORMATION

INGREDIENT	% BY WGT	CAS NO.	ALLOWABLE EXPOSURE LEVEL	SARA 313	VP mm Hg 20 DEG.
ISOBUTANE (ENCAP- SULATED IN POLYMER)		75-28-5	NONE ESTABLISHED	SKIN	

SKIN = SKIN ABSORPTION MUST BE CONSIDERED AS A ROUTE OF EXPOSURE
C-CEILING= ALLOW. EXPOSURE LEVEL SHOULD NOT BE EXCEEDED FOR ANY TIME PERIOD
MFR = MANUFACTURER RECOMMENDED EXPOSURE LIMIT
STEL = SHORT TERM EXPOSURE LIMIT
X-SARA 313 = CHEMICAL IS SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313
OF TITLE III OF S.A.R.A. 40 CFR PART 372

SECTION 3 - HAZARDS IDENTIFICATION

EFFECTS OF SHORT TERM OVEREXPOSURE

SWALLOWING

Low in single dose oral toxicity.

INHALATION

When stored in closed containers residual monomers may accumulate. Avoid inhalation of these monomers with local exhaust ventilation and/or respiratory protection.

Inhalation of dust may cause mild respiratory irritation. Adhere to OSHA's nuisance (inert) dust airborne concentration limits.

EYE

May cause eye irritation.

SKIN

May cause mild mechanical irritation.

EFFECTS OF REPEATED OVEREXPOSURE

None currently known

SIGNIFICANT LABORATORY DATA WITH POSSIBLE RELEVANCE TO HUMAN HEALTH.

None currently known

SECTION 4 - FIRST-AID MEASURES

SWALLOWING

None should be needed

INHALATION

Remove to fresh air.

EYE

Flush eyes with water until relieved. Consult a physician.

SKIN

None should be needed.

NOTES TO PHYSICIAN

Any treatment that might be required for overexposure should be directed at the control of symptoms and the clinical conditions.

SECTION 5 - FIRE-FIGHTING MEASURES

NFPA FLAMMABILITY CLASSIFICATION

Not Applicable

FLASHPOINT

Not applicable

EXTINGUISHING MEDIA

Use NFPA Class B Fire extinguishers (carbon dioxide, all purpose dry chemical or alcohol foam) designed to extinguish flammable liquid fires. Polymer foam is preferred for large fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None known.

SPECIAL FIRE FIGHTING PROCEDURES

None known

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED

Use vacuum equipment. If sweeping use compound and moisture to reduce the dust. Avoid breathing dust. Wear NIOSH approved, mechanical filter

SECTION 14 - TRANSPORT INFORMATION (Continued)

TRANSPORTATION

	PROPER SHIPPING NAME	CLASS	I.D.#	PKG GRP
3				
A				
IR)	RESIN COMPOUND, NOT RESTRICTED			
DOT (HM-181)				
(DOMESTIC SURFACE)	RESIN COMPOUND, NOT RESTRICTED.			
IMDG CODE				
(OCEAN)	RESIN COMPOUND, NOT RESTRICTED			

SECTION 15 - REGULATORY INFORMATION

All ingredients in this product are listed on the US TSCA Inventory.
All ingredients in this product are listed on the Canadian Domestic
Substance List.

INGREDIENT	CAS NO.	DETAIL INVENTORY LIST INFORMATION
------------	---------	-----------------------------------

ISOBUTANE (ENCAP- SULATED IN POLYMER)	75-28-5	DSL
--	---------	-----

DETAIL INVENTORY LIST DESCRIPTION

DSL/Canadian Domestic Substance List

SECTION 16 - OTHER INFORMATION

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE
ACCURATE. WHILE THE INFORMATION IS BELIEVED TO BE RELIABLE, NO WARRANTY IS
EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO
BE OBTAINED FROM THE USE THEREOF. SINCE THE USE OF THIS INFORMATION AND THE
CONDITIONS AND USE OF THIS PRODUCT ARE CONTROLLED BY THE USER, IT IS THE
USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCT.
The Corporate Safety and Environmental Affairs Department is
responsible for the preparation of this Material Safety Data Sheet.

UNIVERSITY OF MINNESOTA
NANOTECHNOLOGY LAB RM 1-165
UNION ST SOUTHEAST
SEAPOLIS MN
55455