

Material Safety Data Sheet

Version 3.2
Revision Date 01/11/2008
Print Date 04/13/2009

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ethylene glycol

Product Number : 102466
Brand : Sigma-Aldrich

Company : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA

Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # : (314) 776-6555

2. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C₂H₆O₂
Molecular Weight : 62.07 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Ethylene glycol			
107-21-1	203-473-3	603-027-00-1	-

3. HAZARDS IDENTIFICATION**Emergency Overview****OSHA Hazards**

Target Organ Effect
Harmful by ingestion.
Irritant

Target Organs

Liver, Cardiovascular system., Eyes, Kidney, Central nervous system

HMIS Classification

Health Hazard: 2

Chronic Health Hazard: *

Flammability: 1

Physical hazards: 1

NFPA Rating

Health Hazard: 2

Fire : 1

Reactivity Hazard: 1

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Skin
Eyes
Ingestion

May be harmful if absorbed through skin. May cause skin irritation.
May cause eye irritation.
Harmful if swallowed.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point 111 °C (232 °F) - closed cup

Ignition temperature 400 °C (752 °F)

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Environmental precautions

Do not let product enter drains.

Methods for cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid inhalation of vapour or mist.
Normal measures for preventive fire protection.

Storage

Keep container tightly closed in a dry and well-ventilated place.
hygroscopic

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
Ethylene glycol	107-21-1	CEIL	100 mg/m3	1995-05-23	US. American Conference of Governmental and Industrial Hygienists

					Threshold Limit Values for Chemical Substances in the Work Environment; Annual Reports for the Year 2004:Committees on Threshold Limit Values (TLVs) and Biological Exposure Indices (BEIs)
Remarks	See Notice of Intended Changes. Refers to Appendix A -- Carcinogens.				
		CEIL	50 ppm 125 mg/m3	1989-03-01	US. Department of Labor - Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1000 Z-1-A

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid
Colour colourless

Safety data

pH no data available
Melting point -13 °C (9 °F)
Boiling point 195 - 198 °C (383 - 388 °F) at 1,013 hPa (760 mmHg)
Flash point 111 °C (232 °F) - closed cup
Ignition temperature 400 °C (752 °F)
Lower explosion limit 3.2 %(V)
Upper explosion limit 15.3 %(V)
Vapour pressure 0.11 hPa (0.08 mmHg) at 20 °C (68 °F)
0.13 hPa (0.10 mmHg) at 20 °C (68 °F)
Density 1.1130 g/cm3

Water solubility completely miscible
 soluble

Partition coefficient: log Pow: -1.36
n-octanol/water

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Materials to avoid

Strong acids, Strong oxidizing agents, Strong bases, Aldehydes, Aluminum

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 4,700 mg/kg

LD50 Dermal - rabbit - 10,626 mg/kg

Irritation and corrosion

Eyes - rabbit - Mild eye irritation - 24 h

Sensitisation

no data available

Chronic exposure

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Laboratory experiments have shown teratogenic effects.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Signs and Symptoms of Exposure

When ingested early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage., Exposure to and/or consumption of alcohol may increase toxic effects.

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.
Ingestion	Harmful if swallowed.
Target Organs	Liver, Cardiovascular system., Eyes, Kidney, Central nervous system,

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

no data available

Bioaccumulation	Remarks: Does not bioaccumulate. other fish - 61 d Bioconcentration factor (BCF): 0.60
-----------------	--

Ecotoxicity effects

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 18,500 mg/l - 96 h LC50 - Leuciscus idus (Golden orfe) - > 10,000 mg/l - 48 h NOEC - Pimephales promelas (fathead minnow) - 32,000 mg/l - 7 d NOEC - Pimephales promelas (fathead minnow) - 39,140 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates.	EC50 - Daphnia magna (Water flea) - 74,000 mg/l - 24 h NOEC - Daphnia - 24,000 mg/l - 48 h LC50 - Daphnia magna (Water flea) - 41,000 mg/l - 48 h

Further information on ecology

no data available

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 3082	Class: 9	Packing group: III
Proper shipping name: Environmentally hazardous substances, liquid, n.o.s. (Ethylene glycol)		

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Harmful by ingestion., Irritant

TSCA Status

On TSCA Inventory

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

	CAS-No.	Revision Date
Ethylene glycol	107-21-1	1987-01-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Ethylene glycol	107-21-1	1987-01-01

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Ethylene glycol	107-21-1	1987-01-01

New Jersey Right To Know Components

	CAS-No.	Revision Date
Ethylene glycol	107-21-1	1987-01-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION**Further information**

Copyright 2008 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.