

1: Identification

Product identifier

Product name: Nickel(II) sulfate hexahydrate

Stock number: 36336

CAS Number:

10101-97-0

EC number:

232-104-9

Index number:

028-009-00-5

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2: Hazard(s) identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1A H350 May cause cancer.

Repr. 1B H360 May damage fertility or the unborn child.

STOT RE 1 H372 Causes damage to the lung, the kidneys, the liver, the heart, the blood and the endocrine system through prolonged or repeated exposure.
Route of exposure: Oral, Inhalative.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R49-61-48/23: May cause cancer by inhalation. May cause harm to the unborn child. Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Xn; Harmful

R20/22-68: Harmful by inhalation and if swallowed. Possible risk of irreversible effects.

Xn; Sensitizing

R42/43: May cause sensitization by inhalation and skin contact.

Xi; Irritant

R38: Irritating to skin.

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment: Not applicable

Hazards not otherwise classified No information known.

Label elements

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS07 GHS08

Signal word

Danger

Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to the lung, the kidneys, the liver, the heart, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Product name: Nickel(II) sulfate hexahydrate

(Contd. of page 1)

Precautionary statements

P273 Avoid release to the environment.
P201 Obtain special instructions before use.
P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects



Classification system

HMS ratings (scale 0-4)
(Hazardous Materials Identification System)

| | | |
|------------|---|----------------------------|
| HEALTH | 2 | Health (acute effects) = 2 |
| FIRE | 0 | Flammability = 0 |
| REACTIVITY | 1 | Physical Hazard = 1 |

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

3: Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

10101-97-0 Nickel(II) sulfate hexahydrate

Identification number(s):

EC number: 232-104-9

Index number: 028-009-00-5

4: First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5: Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Sulfur oxides (SOx)

Nickel oxides

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7: Handling and storage

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

(Contd. on page 3)
USA

Product name: Nickel(II) sulfate hexahydrate

Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

(Contd. of page 2)

8: Exposure controls/personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters**Components with limit values that require monitoring at the workplace:****10101-97-0 Nickel(II) sulfate hexahydrate (100.0%)**

| | |
|-------------|--|
| PEL (USA) | Long-term value: 1 mg/m ³ as Ni |
| REL (USA) | Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A |
| TLV (USA) | Long-term value: 0.1 mg/m ³ as Ni; inhalable fraction |
| EV (Canada) | Long-term value: 0.1 mg/m ³ Inhalable fraction, as Ni |

Additional information: No data

Exposure controls**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) Not determined

Eye protection: Safety glasses

Body protection: Protective work clothing.

9: Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

| | |
|------------------------|-----------------------|
| Form: | Crystalline or powder |
| Color: | Green |
| Odor: | Odorless |
| Odor threshold: | Not determined. |

pH-value (100 g/l) at 20 °C (68 °F): 4.3-4.7

Change in condition

| | |
|---|-----------------|
| Melting point/Melting range: | Not determined |
| Boiling point/Boiling range: | Not determined |
| Sublimation temperature / start: | Not determined. |
| Flammability (solid, gaseous) | Not determined. |
| Ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Auto igniting: | Not determined. |

Danger of explosion: Not determined.

Explosion limits:

| | |
|---|--|
| Lower: | Not determined |
| Upper: | Not determined |
| Vapor pressure: | Not applicable. |
| Density at 20 °C (68 °F): | 2.07 g/cm ³ (17.274 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not applicable. |
| Evaporation rate | Not applicable. |
| Solubility in / Miscibility with | |
| Water at 20 °C (68 °F): | 650 g/l |
| Partition coefficient (n-octanol/water): | Not determined. |
| Viscosity: | |
| dynamic: | Not applicable. |
| kinematic: | Not applicable. |
| Other information | No further relevant information available. |

10: Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Sulfur oxides (SO_x)

Nickel oxides

Product name: **Nickel(II) sulfate hexahydrate**

(Contd. of page 3)

11: Toxicological information

Information on toxicological effects

Acute toxicity:

Harmful if inhaled.

Harmful if swallowed.

The following RTECS statement/statements refer to the anhydrous compound:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral/ LD50/ 264 mg/kg (rat)

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: May cause irritation

Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Germ cell mutagenicity:

Suspected of causing genetic defects.

The following RTECS statement/statements refer to the anhydrous compound:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

May cause cancer.

The following cancer warning/warnings refer to the anhydrous compound:

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

The following RTECS statement/statements refer to the anhydrous compound:

Reproductive toxicity:

May damage fertility or the unborn child.

The following RTECS statement/statements refer to the anhydrous compound:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure:

Causes damage to the lung, the kidneys, the liver, the heart, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

The following RTECS statement/statements refer to the anhydrous compound:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12: Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13: Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14: Transport information

UN-Number

DOT, IMDG, IATA

UN3288

UN proper shipping name

DOT

IMDG

Toxic solid, inorganic, n.o.s. (Nickel(II) sulfate hexahydrate)

TOXIC SOLID, INORGANIC, N.O.S. (Nickel(II) sulfate hexahydrate), MARINE

POLLUTANT

TOXIC SOLID, INORGANIC, N.O.S. (Nickel(II) sulfate hexahydrate)

IATA

Transport hazard class(es)

DOT



Class

Label

Class

6.1 Toxic substances.

6.1

6.1 (T5) Toxic substances

(Contd. on page 5)

USA

Product name: **Nickel(II) sulfate hexahydrate**

(Contd. of page 4)

Label
IMDG

6.1

Class
Label
IATA6.1 Toxic substances.
6.1Class
Label6.1 Toxic substances.
6.1Packing group
DOT, IMDG, IATA

III

Environmental hazards:
Marine pollutant (IMDG):Environmentally hazardous substance, solid; Marine Pollutant
Yes (P)
Symbol (fish and tree)

Special precautions for user

Warning: Toxic substances

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:

DOT
Marine Pollutant (DOT):
Remarks:No
Special marking with the symbol (fish and tree).

UN "Model Regulation":

UN3288, Toxic solid, inorganic, n.o.s. (Nickel(II) sulfate hexahydrate), 6.1, III

15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).**SARA Section 313 (specific toxic chemical listings)**

10101-97-0 | Nickel(II) sulfate hexahydrate

California Proposition 65**Prop 65 - Chemicals known to cause cancer**

10101-97-0 | Nickel(II) sulfate hexahydrate

Prop 65 - Developmental toxicity Substance is not listed.**Prop 65 - Developmental toxicity, female** Substance is not listed.**Prop 65 - Developmental toxicity, male** Substance is not listed.**Information about limitation of use:**

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.**REACH - Pre-registered substances** Substance is not listed.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16: Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

P: Marine Pollutant

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)