MATERIAL SAFETY DATA SHEET

Date Printed: 02/27/2007 Date Updated: 02/16/2007

Version 1.12

Section 1 - Product and Company Information

Product Name 4-METHYL-2-PENTANONE, CHROMASOLV®, FOR

HPLC, >=99.5%

Product Number 293261
Brand ALDRICH

Company Sigma-Aldrich

Address 3050 Spruce Street

SAINT LOUIS MO 63103 US

Technical Phone: 800-325-5832 Fax: 800-325-5052 Emergency Phone: 314-776-6555

Section 2 - Composition/Information on Ingredient

Substance Name CAS # SARA 313 4-METHYL-2-PENTANONE 108-10-1 Yes

Formula C6H12O

Synonyms Hexon (Czech) * Hexone (OSHA) *

Isobutyl-methylketon (Czech) * Isobutyl methyl
ketone * Isopropylacetone * Ketone, isobutyl
methyl * Methyl-isobutyl-cetone (French) *
Methylisobutylketon (Dutch, German) * Methyl

isobutyl ketone (ACGIH:OSHA) *
Metyloizobutyloketon (Polish) *
4-Methyl-pentan-2-on (Dutch, German) *
2-Methyl-4-pentanone * 4-Methyl-2-pentanon
(Czech) * 4-Methyl-2-pentanone *

Metilisobutilchetone (Italian) *

4-Metilpentan-2-one (Italian) * MIBK * MIK * RCRA

waste number U161 * Shell MIBK

RTECS Number: SA9275000

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Flammable (USA) Highly Flammable (EU). Harmful.

Harmful by inhalation. Irritating to eyes and respiratory system.

Repeated exposure may cause skin dryness or cracking. Target organ(s): Nerves. May form explosive peroxides.

HMIS RATING

HEALTH: 2*
FLAMMABILITY: 3
REACTIVITY: 1

NFPA RATING

HEALTH: 2

FLAMMABILITY: 3 REACTIVITY: 1

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

DERMAL EXPOSURE

In case of contact, immediately wash skin with soap and copious amounts of water.

EYE EXPOSURE

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Section 5 - Fire Fighting Measures

FLAMMABLE HAZARDS

Flammable Hazards: Yes

EXPLOSION HAZARDS

Vapor may travel considerable distance to source of ignition and flash back. Container explosion may occur under fire conditions. Forms explosive mixtures in air.

FLASH POINT

57.2 °F 14 °C Method: closed cup

EXPLOSION LIMITS

Lower: 1.2 % Upper: 8 %

AUTOIGNITION TEMP

459 °C

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Flammable liquid. Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL Evacuate area. Shut off all sources of ignition.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

HANDLING

User Exposure: Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Suitable: Keep container closed. Keep away from heat, sparks, and open flame.

Unsuitable: May form peroxides on contact with air.

Section 8 - Exposure Controls / PPE

ENGINEERING CONTROLS

Safety shower and eye bath. Use nonsparking tools. Mechanical exhaust required.

PERSONAL PROTECTIVE EOUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Compatible chemical-resistant gloves. Eye: Chemical safety goggles.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Wash contaminated clothing before reuse.

EXPOSURE LIMITS, RTECS

Country	Source	Type	Value
USA	ACGIH	STEL	75 PPM
USA	ACGIH	TWA	50 PPM
USA	MSHA Standard-air	TWA	100 PPM (410 MG/M3)
USA	OSHA.	PEL	8H TWA 100 PPM (410 MG/M3)
USA	NIOSH	TWA	50 PPM
		STEL	75 PPM
EXPOSURE	LIMITS		
Country	Source	Type	Value
Poland		NDS	83

Poland Poland NDSCh 200 Poland NDSP

Section 9 - Physical/Chemical Properties

Appearance Physical State: Liquid

Property	Value	At Temperature or Pressure	
Molecular Weight	100.16 AMU		
pH	N/A		
BP/BP Range	N/A		
MP/MP Range	- 80.0 °C		
Freezing Point			
Vapor Pressure	N/A	20 °C	
-	15 mmHg	20 °C	
Vapor Density	3.5 g/l		
Saturated Vapor Conc.	N/A		
SG/Density	0.8 g/cm^3		
Bulk Density Odor Threshold	N/A		
	0.1 ppm		
Volatile%	N/A		
VOC Content	N/A		
Water Content	N/A		
Solvent Content	N/A		
Evaporation Rate	N/A		
Viscosity	N/A	20.00	
Surface Tension	23.6 mN/m	20 °C	
Partition Coefficient	Log Kow: 1.31		
Decomposition Temp.	N/A	Matthe de allered anno	
Flash Point	57.2 °F 14 °C	Method: closed cup	
Explosion Limits	Lower: 1.2 %		
77	Upper: 8 %		
Flammability	N/A		
Autoignition Temp	459 °C		
Refractive Index	1.396		
Optical Rotation	N/A		
Miscellaneous Data	N/A		
Solubility	Solubility in Water: 20 mg/ml H20		
	Other Solvents: ACE	•	
	CHLOROFORM. MISCIBL	EWITH MOST	

N/A = not available

Section 10 - Stability and Reactivity

STABILITY

Stable: Stable.

Conditions to Avoid: May form peroxides on contact with air.

Materials to Avoid: Oxidizing agents, Strong bases.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

Section 11 - Toxicological Information

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes eye irritation.

Inhalation: Material is irritating to mucous membranes and upper

respiratory tract. Harmful if inhaled. Ingestion: May be harmful if swallowed.

SENSITIZATION

Sensitization: Will not occur

```
TARGET ORGAN(S) OR SYSTEM(S)
  Nerves.
```

SIGNS AND SYMPTOMS OF EXPOSURE

Contact with eyes can cause redness, tearing, and blurred vision. Prolonged or repeated contact with skin can cause defatting and dermatitis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

TOXICITY DATA Skin Rabbit

> 16,000 mg/kg

LD50 4 H

Inhalation

Rat

8.2 - 16.4 mg/m

LC50

Oral

Rat

2080 mg/kg

LD50

Inhalation

Rat

100,000 mg/m3

LC50

Intraperitoneal

Rat

400 MG/KG

LD50

Oral

Mouse

1900 mg/kg

LD50

Inhalation

Mouse

23,300 mg/m3

LC50

Intraperitoneal

Mouse

268 MG/KG

LD50

Oral

Guinea pig

1600 mg/kg

LD50

Intraperitoneal

Guinea pig

800 MG/KG

LD50

IRRITATION DATA

```
Skin
   Rabbit
   Remarks: Moderate irritation effect
  Rabbit
   Remarks: No irritation effect
  Eyes
  Human
   200 ppm
   15M
   Skin
   Rabbit
   500 mg
   24H
  Remarks: Mild irritation effect
  Eyes
  Rabbit
   40 mg
   Remarks: Severe irritation effect
  Eyes
  Rabbit
   0.1 \, \mathrm{ml}
   2.4H
   Remarks: Moderate irritation effect
CHRONIC EXPOSURE - TERATOGEN
   Species: Rat
   Dose: 300 PPM/6H
   Route of Application: Inhalation
   Exposure Time: (6-15D PREG)
   Result: Specific Developmental Abnormalities: Musculoskeletal
   system. Effects on Embryo or Fetus: Fetotoxicity (except death,
   e.g., stunted fetus).
   Species: Mouse
   Dose: 3000 PPM/6H
   Route of Application: Inhalation
   Exposure Time: (6-15D PREG)
   Result: Effects on Embryo or Fetus: Fetotoxicity (except death,
   e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.
   Species: Mouse
   Dose: 3000 PPM/6H
   Route of Application: Inhalation
```

Result: Specific Developmental Abnormalities: Central nervous system. Specific Developmental Abnormalities: Musculoskeletal system. Specific Developmental Abnormalities: Cardiovascular

(circulatory) system.

Section 12 - Ecological Information

Exposure Time: (6-15D PREG)

ACUTE ECOTOXICITY TESTS

Test Type: EC50 Algae

Species: Scenedesmus subspicatus

Time: 48 h

Value: 980.0 - 2,000.0 mg/l

Test Type: EC50 Daphnia Species: Daphnia magna

Time: 24 h

Value: 1,550.0 - 3,623.0 mg/l

Test Type: LC50 Fish Species: Leuciscus idus

Time: 48 h

Value: 672.0 - 744.0 mg/l

Test Type: LC50 Fish

Species: Pimephales promelas (Fathead minnow)

Time: 96 h

Value: 496.0 - 593.0 mg/l

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Methyl isobutyl ketone

UN#: 1245 Class: 3

Packing Group: Packing Group II Hazard Label: Flammable liquid

PIH: Not PIH

$\Delta T \Delta T \Delta$

Proper Shipping Name: Methyl isobutyl ketone

IATA UN Number: 1245 Hazard Class: 3 Packing Group: II

Section 15 - Regulatory Information

EU DIRECTIVES CLASSIFICATION

Symbol of Danger: F-Xn

Indication of Danger: Highly Flammable. Harmful.

R: 11-20-36/37-66

Risk Statements: Highly flammable. Harmful by inhalation.

Irritating to eyes and respiratory system. Repeated exposure may

cause skin dryness or cracking.

S: 9-16-29

Safety Statements: Keep container in a well-ventilated place. Keep away from sources of ignition - no smoking. Do not empty into drains.

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Flammable (USA) Highly Flammable (EU).

Harmful.

Risk Statements: Harmful by inhalation. Irritating to eyes and respiratory system. Repeated exposure may cause skin dryness or cracking.

Safety Statements: Keep away from sources of ignition - no smoking. Do not empty into drains. Keep container in a well-ventilated place.

US Statements: Target organ(s): Nerves. May form explosive peroxides.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: Yes DEMINIMIS: 1 %

NOTES: This product is subject to SARA section 313 reporting

TSCA INVENTORY ITEM: Yes

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes NDSL: No

Section 16 - Other Information

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2007 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.