

**Section: 1. IDENTIFICATION**

Product name : PROTOCOL 3000  
Other means of identification : Not applicable.  
Recommended use : Laundry detergent  
Restrictions on use : Reserved for industrial and professional use.  
Product dilution information : Product is sold ready to use.  
Company : Ecolab Co.  
5105 Tomken Road  
Mississauga, Ontario Canada L4W 2X5  
1-800-352-5326  
Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)  
Issuing date : 05/22/2024

**Section: 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Skin irritation : Category 2  
Serious eye damage : Category 1

**GHS Label element**

Hazard pictograms :   

Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.  
Harmful if swallowed.  
Causes skin irritation.  
Causes serious eye damage.

Precautionary Statements : **Prevention:**  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use non-sparking tools. Take action to prevent static discharges. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

# SAFETY DATA SHEET

## PROTOCOL 3000

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. If skin irritation occurs: Get medical advice/attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

: None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Actual concentration or concentration range is withheld as a trade secret

Chemical Name	CAS-No.	Concentration: (%)
alcohols, c12-16, ethoxylated > 5EO	68551-12-2	80 - 100
ethanol	64-17-5	1 - 5

### Section: 4. FIRST AID MEASURES

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

# SAFETY DATA SHEET

## PROTOCOL 3000

Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides
Special protective equipment and precautions for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Risk of explosion.	: Not available.

## Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	: Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	: 0 °C to 45 °C

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of	Permissible	Basis

# SAFETY DATA SHEET

## PROTOCOL 3000

		exposure	concentration	
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m <sup>3</sup>	CAD AB OEL
		STEL	1,000 ppm	CAD BC OEL
		VME	1,000 ppm 1,880 mg/m <sup>3</sup>	OEL (QUE)
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection/face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : liquid

Colour : clear, colourless

Odour : sweet

pH : 7.0 - 10.0, (100 %)

Flash point : 52 °C closed cup, Sustains combustion

Melting point/freezing point : no data available

Boiling point, initial boiling point and boiling range : > 100 °C

Flammability : Not applicable.

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 0.883 - 0.983

Density : no data available

Water solubility : partly soluble

# SAFETY DATA SHEET

## PROTOCOL 3000

Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water (logarithmic value)	: no data available
Auto-ignition temperature	: no data available
Decomposition temperature	: no data available
Viscosity, kinematic	: 53.687 mm <sup>2</sup> /s (40 °C)
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available
Particle characteristics	: no data available

### Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation, Eye contact, Skin contact
--	---

#### Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes skin irritation.
Ingestion	: Harmful if swallowed.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Irritation

# SAFETY DATA SHEET

## PROTOCOL 3000

Ingestion : No information available.  
Inhalation : No symptoms known or expected.

### Toxicity

#### Product

Acute oral toxicity : Acute toxicity estimate : 1,223 mg/kg  
Acute inhalation toxicity : no data available  
Acute dermal toxicity : no data available  
Skin corrosion/irritation : no data available  
Serious eye damage/eye irritation : no data available  
Respiratory or skin sensitization : no data available  
Carcinogenicity : no data available  
Reproductive effects : no data available  
Germ cell mutagenicity : no data available  
Teratogenicity : no data available  
STOT - single exposure : no data available  
STOT - repeated exposure : no data available  
Aspiration toxicity : no data available

#### Components

Acute inhalation toxicity : ethanol  
4 h LC50 rat: 117 mg/l Test atmosphere: vapour

#### Components

Acute dermal toxicity : alcohols, c12-16, ethoxylated > 5EO  
LD50 rabbit: > 2,000 mg/kg  
  
ethanol  
LD50 rabbit: 15,800 mg/kg

## Section: 12. ECOLOGICAL INFORMATION

### Toxicity

Environmental Effects : Toxic to aquatic life.

#### Product

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

#### Components

Toxicity to fish : alcohols, c12-16, ethoxylated > 5EO  
LC50: 1.5 mg/l

# SAFETY DATA SHEET

## PROTOCOL 3000

ethanol  
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

### Components

Toxicity to daphnia and other aquatic invertebrates : ethanol  
48 h EC50 Aquatic Invertebrate: 857 mg/l

### Persistence and degradability

Readily biodegradable.

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### Other adverse effects

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods	: Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and federal regulations.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (TDG)

Not dangerous goods

### Sea transport (IMDG/IMO)

UN number	: 1170
Proper shipping name	: ETHANOL SOLUTION
Class	: 3
Packing group	: III
Marine pollutant	: No

## Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**NPRI Components** : ethanol

**The components of this product are reported in the following inventories:**

# SAFETY DATA SHEET

## PROTOCOL 3000

### United States TSCA Inventory :

All substances listed as active on the TSCA inventory

### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

### China Inventory of Existing Chemical Substances :


On the inventory, or in compliance with the inventory

### Taiwan Chemical Substance Inventory :

On the inventory, or in compliance with the inventory

## Section: 16. OTHER INFORMATION

### NFPA:



### HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 05/22/2024  
version : 1.1  
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.