Page 1 AMMONIUM FLUORIDE 1 - PRODUCT IDENTIFICATION PRODUCT NAME: AMMONIUM FLUORIDE NH4F FORMULA: 12125-01-8 FORMULA WT: CAS NO.: NIOSH/RTECS NO.: BQ6300000 COMMON SYNONYMS: NEUTRAL AMMONIUM FLUORIDE 0698,0699 PRODUCT CODES: EFFECTIVE: 12/10/86 REVISION #04 PRECAUTIONARY LABELLING BAKER SAF-T-DATA (TM) SYSTEM - 3 SEVERE (POISON) HEALTH FLAMMABILITY - 0 NONE REACTIVITY - 1 SLIGHT
COMPACT - 2 MODERATE HAZARD RATINGS ARE 0 TO 4 (0 = NO HAZARD; 4 = EXTREME HAZARD). LABORATORY PROTECTIVE EQUIPMENT GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES PRECAUTIONARY LABEL STATEMENTS POISON DANGER CAUSES SEVERE IRRITATION MAY BE FATAL IF SWALLOWED EXCEPTIONAL CONTACT HAZARD - READ MATERIAL SAFETY DATA SHEET DO NOT GET IN EYES, ON SKIN, ON CLOTHING. DO NOT BREATHE DUST. KEEP IN TIGHTLY CLOSED CONTAINER. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. BLUE (HEALTH) SAF-T-DATA (TM) STORAGE COLOR CODE: 2 - HAZARDOUS COMPONENTS COMPONENT CAS NO. AMMONIUM FLUORIDE 90-100 12125-01-8

3 - PHYSICAL DATA

BOILING POINT: N/A VAPOR PRESSURE (MM HG): N/A

MELTING POINT: N/A VAPOR DENSITY(AIR=1): 1.3

MSDS for AMMONIUM FLUORIDE -----

SPECIFIC GRAVITY: 1.01

EVAPORATION RATE:

(H20=1)

(BUTYL ACETATE=1)

SOLUBILITY(H2O): APPRECIABLE (MORE THAN 10 %) % VOLATILES BY VOLUME: 0

APPEARANCE & ODOR: WHITE, ODORLESS CRYSTALS.

_____ 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (CLOSED CUP: N/A

NFPA 704M RATING: 3-0-0

FLAMMABLE LIMITS: UPPER - N/A % LOWER - N/A %

FIRE EXTINGUISHING MEDIA USE WATER SPRAY.

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE. MOVE EXPOSED CONTAINERS FROM FIRE AREA IF IT CAN BE DONE WITHOUT RISK. USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL; DO NOT GET WATER INSIDE CONTAINERS.

TOXIC GASES PRODUCED

AMMONIA, HYDROGEN FLUORIDE, NITROGEN OXIDES

5 - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE (TLV/TWA): 2.5 MG/M3 (PPM)

PERMISSIBLE EXPOSURE LIMIT (PEL): 2.5 MG/M3 (PPM)

TOXICITY: LD50 (IPR-RAT) (MG/KG) 32

CARCINOGENICITY: NTP: NO IARC: NO Z LIST: NO OSHA REG: NO

EFFECTS OF OVEREXPOSURE

INHALATION OF DUST MAY CAUSE IRRITATION TO UPPER RESPIRATORY TRACT. CONTACT WITH SKIN OR EYES MAY CAUSE SEVERE IRRITATION OR BURNS.

SKIN ABSORPTION MAY BE HARMFUL.

INGESTION MAY CAUSE NAUSEA, VOMITING, GASTROINTESTINAL IRRITATION, AND BURNS TO MOUTH AND THROAT.

CHRONIC EFFECTS MAY INCREASE BONE DENSITY, CAUSE CALCIUM DEPOSITS IN LIGAMENTS, AND MOTTLE TOOTH ENAMEL.

TARGET ORGANS

EYES, SKIN, RESPIRATORY SYSTEM, CENTRAL NERVOUS SYSTEM, KIDNEYS

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE NONE IDENTIFIED

Page 3

ROUTES OF ENTRY INHALATION, INGESTION, EYE CONTACT, SKIN CONTACT

EMERGENCY AND FIRST AID PROCEDURES

CALL A PHYSICIAN.

IF SWALLOWED, DO NOT INDUCE VOMITING; IF CONSCIOUS, GIVE WATER, MILK, OR

MILK OF MAGNESIA. IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF SKIN BECOMES IRRITATED, IMMERSE AND SOAK THE AFFECTED AREA, FOR AT LEAST 30 MINUTES, IN ONE OF THE FOLLOWING:

ICED 0.13% AQUEOUS ZEPHIRAN CHLORIDE SOLUTION, ICED 70% ALCOHOL SOLUTION, OR ICE-COLD SATURATED SOLUTION OF MAGNESIUM SULFATE. NOTE: DO NOT USE ZEPHIRAN CHLORIDE SOLUTION ON EYES.

6 - REACTIVITY DATA

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR STABILITY: STABLE

HEAT, MOISTURE CONDITIONS TO AVOID:

STRONG OXIDIZING AGENTS, WATER, MOST COMMON METALS, INCOMPATIBLES:

STRONG BASES, GLASS, STRONG ACIDS

DECOMPOSITION PRODUCTS: HYDROGEN FLUORIDE, AMMONIA, OXIDES OF NITROGEN

7 - SPILL AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. WITH CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO CLEAN, DRY CONTAINER AND COVER; REMOVE FROM AREA. FLUSH SPILL AREA WITH WATER.

DISPOSAL PROCEDURE

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

8 - PROTECTIVE EQUIPMENT

USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET **VENTILATION:**

TLV REOUIREMENTS.

RESPIRATORY PROTECTION: A RESPIRATOR WITH DUST/MIST FILTER IS RECOMMENDED.

IF AIRBORNE CONCENTRATION EXCEEDS TLV, A SELF-

CONTAINED BREATHING APPARATUS IS ADVISED.

SAFETY GOGGLES, UNIFORM, APRON, NEOPRENE GLOVES EYE/SKIN PROTECTION:

ARE RECOMMENDED.

MSDS for AMMONIUM FLU	ORIDE	Page 4
A CHARACE AND HAND	T THE PRECAUTIONS	
SAF-T-DATA(TM) STORAGE	COLOR CODE: BLUE (HEALTH)	
ISOLATE FROM INCOMPA		
	DATA AND ADDITIONAL INFORMATION	
10 - TRANSPORTATION I	OATA AND ADDITIONAL INTOICEMENT	
DOMESTIC (D.O.T.)	•	
HAZARD CLASS	AMMONIUM FLUORIDE (AIR ONLY) ORM-B UN2505	
014/1421	NONE	
REPORTABLE QUANTITY	100 LBS.	
INTERNATIONAL (I.M.O.)		
PROPER SHIPPING NAME HAZARD CLASS UN/NA	6.1 UN2505	
LABELS	HARMFUL - STOW AWAY FROM FOO	D STUFFS

LABELS