Hoechst Celanese

Hoechst Celanese Corporation Printing Products Division P.O. Box 3700 50 Meister Avenue Somerville, NJ 08876-1258

Material Safety Data Sheet

THE EMERGENCY PHONE NUMBERS ARE: CHEMTREC (800) 424-9300 HOECHST CELANESE (908) 231-4944 (908) 231-5445 PAGE 1 -----PRODUCT IDENTIFICATION--VERSION DATE: 04/03/90 DATE PRINTED: 07/03/91 MSDS NUMBER: 500070E7 AZ 300T PHOTORESIST STRIPPER SYNONYMS: PHOTORESIST STRIPPER CHEMICAL FAMILY: BASIC ORGANIC SOLUTION ------HAZARDOUS INGREDIENTS-----PERCENT: HAZARD DATA: INGREDIENT: TETRAMETHYLAMMONIUM HYDROXIDE, CONTACT HAZARD TMAH, CAS# 75-59-2 * N-METHYLPYRROLIDONE, NMP, 1-41 SEE EFFECTS OF OVEREXPOSURE METHYL-2-PYRROLIDINONE, CAS# 872-50-4 * PROPYLENE GLYCOL, 1,2-PROPANE-DIOL, CAS# 57-55-6 55 * PENNSYLVANIA RIGHT TO KNOW LIST -----PHYSICAL DATA-----HIGH UNITS COMMENT PHYSICAL DATA SOLUBILITY IN WATER LOW SOLUBLE >95 % VOLATILE SPECIFIC GRAVITY (WATER =1) EVAPORATION RATE 1.03 <ETHER APPEARANCE AND ODOR: COLORLESS LIQUID, CHARACTERISTIC ODOR. -----FIRE AND EXPLOSION HAZARDS-----FLASH POINT: >200 °F TAG CC EXTINGUISHING MEDIA: CARBON DIOXIDE, WATER, ALCOHOL FOAM OR DRY CHEMICAL. SPECIAL PROCEDURES: USE SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL DRUMS IN FIRE AREA. UNUSUAL HAZARDS SOLVENT VAPORS EMITS TOXIC AND CORROSIVE FUMES UNDER FIRE CONDITIONS. -----HEALTH INFORMATION-----PRIMARY ROUTE OF EXPOSURE: INHALATION: YES SKIN ABSORPTION: YES INGESTION: NO ALSO SKIN AND EYE CONTACT WITH LIQUID AND VAPORS. EFFECTS OF OVEREXPOSURE:
ALKALINE SOLUTION. MAY CAUSE SEVERE IRRITATION OR CAUSTIC BURNS TO EYES AND MUCOUS MEMBRANES.
SOLUTIONS OF PH GREATER THAN 10 ARE KNOWN TO CAUSE CORNEAL DAMAGE.
D.D.T. FOUR HOUR RABBIT SKIN TEST OF THE HIGHEST COMMERCIAL
CONCENTRATION OF THIS PRODUCT WAS NEGATIVE FOR CORROSION.
N-METHYL PYRROLIDINONE IS AN EYE IRRITANT AND IS EMBRYOTOXIC AND FETOTOXIC AT HIGH DOSES. CONTINUED SKIN CONTACT CAN LEAD TO DERMATITIS.

The Hoechst name and logo are registered trademarks of Hoechst AG

Hoechst Celanese

Hoechst Celanese Corporation Printing Products Division P.O. Box 3700 50 Meister Avenue Somerville, NJ 08876-1258

Material Safety Data Sheet

(800) 424-9300 THE EMERGENCY PHONE NUMBERS ARE: CHEMTREC HOECHST CELANESE (908) 231-4944 (908) 231-5445 PAGE 2 FOR (NON EMERGENCY) PRODUCT INFORMATION CALL: MSDS NUMBER: 500070E7 PRODUCT NAME: AZ 300T PHOTORESIST STRIPPER -----HEALTH INFORMATION-----(CONTINUED) TETRAMETHYLAMMONIUM HYDROXIDE IS CAUSTIC AND CORROSIVE TO SKIN AND EYES IN CONCENTRATED FORM.
THIS PRODUCT CONTAINS PROPYLENE GLYCOL, WHICH IS A SKIN AND EYE IRRITANT; IT HAS BEEN REPORTED TO CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION WHEN ADMINISTERED ORALLY AND HAS BEEN REPORTED TO BE AN IN-VITRO MUTAGEN.
MOST STANDARD MUTAGENICITY TESTS WITH PROPYLENE GLYCOL HAVE MOST STANDARD MUTAGENICITY TESTS WITH PROPYLENE GLYCOL HAVE INDICATED THAT IT IS NOT MUTAGENIC. HOWEVER, IN ONE INVITRO TEST, IT WAS FOUND TO BE MUTAGENIC, AT ONE DOSE LEVEL. COMMENTS UNITS DOSE TEST ROUTE TOXICITY: TMAH MG/KG SCU/MUS LDLO 20 NMP G/KG LD50 ORL/RAT PROPYLENE GLYCOL G/KG 20 LD50 ORL/RAT MEDICAL CONDITIONS AGGRAVATED: PREEXISTING SKIN, EYE AND RESPIRATORY CONDITIONS MAY BE AGGRAVATED. OSHA: NO NTP: NO IARC: NO CARCINOGEN: ------OCCUPATIONAL EXPOSURE LIMITS-----TEXT: NOT ESTABLISHED. ----- AND FIRST AID PROCEDURE------MOVE VICTIM TO FRESH AIR. CONSULT PHYSICIAN IF IRRITATION OCCURS. INHALATION: EYE CONTACT: FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL HELP. IMMEDIATELY REMOVE CONTAMINATED CLOTHING AND WASH AFFECTED AREA THOROUGHLY WITH WATER UNTIL GREASY FEEL AND BITTER TASTE ARE GONE. CONSULT PHYSICIAN IF IRRITATION OR OTHER SYMPTOMS OCCUR. SKIN CONTACT: IF PERSON IS CONSCIOUS, GIVE WATER OR MILK TO DILUTE STOMACH CONTENTS.
DD NOT INDUCE VOMITING.
CONSULT PHYSICIAN. INGESTION: ADDITIONAL MEASURES: NONE FOUND. -----REACTIVITY DATA-----HAZARDOUS POLYMERIZATION: WILL NOT OCCUR CHEMICAL STABILITY: STABLE CONDITIONS TO AVOID:
AVOID CONTACT WITH STRONG ACIDS.
AVOID CONTACT WITH OXIDIZING AGENTS.

The Hoechst name and logo are registered trademarks of Hoechst AG

Hoechst Celanese

Hoechst Celanese Corporation Printing Products Division P.O. Box 3700 50 Meister Avenue Somerville, NJ 08876-1258

Material Safety Data Sheet

CHEMTREC (800) 424-9300 HOECHST CELANESE (908) 231-4944 THE EMERGENCY PHONE NUMBERS ARE: CHEMTREC FOR (NON EMERGENCY) PRODUCT INFORMATION CALL: (908) 231-5445 PAGE 3 MSDS NUMBER: 500070E7 PRODUCT NAME: AZ 300T PHOTORESIST STRIPPER -----CONTINUED) HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY GENERATE CARBON MONOXIDE, CARBON DIOXIDE AND OXIDES OF NITROGEN IF HEATED TO DRYNESS, TMAH MAY DECOMPOSE TO TRIMETHYLAMINE AND METHANOL. ------SPILL OR LEAK PROCEDURES/WASTE DISPOSAL------SPILL OR LEAK PROCEDURES:
WEARING APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT, CONTAIN SPILL,
REMOVE ALL SPARKING DEVICES OR IGNITION SOURCES.
VENTILATE AREA OF SPILL OR LEAK
COLLECT ONTO INERT ABSORBENT. PLACE IN SUITABLE CONTAINER. RINSE RESIDUAL WITH WATER. WASTE DISPOSAL: DISPOSE OF OR INCINERATE IN ACCORDANCE WITH REGULATIONS. LISTED AS A HAZARDOUS SUBSTANCE, AS DEFINED IN THE COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT OF 1980. -----EMPLOYEE PROTECTION -----RESPIRATORY PROTECTION:
WHERE MIST IS PRESENT, PROVIDE LOCAL VENTILATION
OR A RESPIRATOR CERTIFIED FOR MIST BY NIOSH. PROTECTIVE CLOTHING: CLOTHING SUITABLE TO PREVENT SKIN CONTACT. SAFETY GOGGLES OR FULL FACE SHIELD. RUBBER GLOVES. ADDITIONAL PROTECTIVE MEASURES: USE LOCAL EXHAUST VENTILATION. -----SPECIAL PRECAUTIONS-----STORE IN A COOL PLACE. KEEP TIGHTLY SEALED. KEEP AWAY FROM SOURCES OF HEAT AND IGNITION. -----OTHER REGULATORY CONTROLS-----OTHER REGULATORY CONTROLS:
THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY.
THE INGREDIENTS OF THIS PRODUCT ARE KNOWN TO BE BIODEGRADABLE.
PRODUCT IS NON-TOXIC TO FATHEAD MINNOW AT UP TO 1.017 GRAMS PER LITER. OSHA HEALTH HAZARDS: EYE HAZARD IRRITANT SKIN HAZARD SARA HAZARD CLASS: ACUTE: YES CHRONIC: NO FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO

The Hoeghst name and logo are registered trademarks of Hoechst AG