

Substance No.: GHSBBG705S

Version 6.0

Revision Date 05/21/2015 Print Date 05/21/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AZ MIR 701 RESIST (11CPS)

Product Use Description : Intermediate for electronic industry

Company : EMD Performance Materials Corp.

An affiliate of Merck KGaA, Darmstadt Germany

One International Plaza, Suite 300

Philadelphia, PA 19113

Telephone : 1-888-367-3275

Emergency telephone number : 1-800-424-9300 (CHEMTREC)

SECTION 2. HAZARDS IDENTIFICATION


Emergency Overview

HMIS Classification : Health hazard: 2

Flammability: 2 Reactivity: 0 PPE:X

NFPA Classification : Health hazard: 2

Fire Hazard: 2 Reactivity Hazard: 0 Special Hazards: NONE



GHS Classification

Hazard category, Hazard : Flammable Liquids, Category 3

class

Hazard category, Hazard Skin Irritation, Category 2



Substance No.: GHSBBG705S

Version 6.0

Revision Date 05/21/2015 Print Date 05/21/2015

class

Hazard category, Hazard

class

Hazard category, Hazard

class

Eye irritation, Category 2A

Specific target organ toxicity - single exposure, Category 3

GHS-Labelling

Symbol(s)



Signal word

Hazard statements Flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation. May cause respiratory irritation.

Prevention: Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/

face protection.

Use only outdoors or in a well-ventilated area.

Response:

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

IF exposed or if you feel unwell:

Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

Storage:

Store in a well-ventilated place. Keep cool.

Store in a closed container.

Disposal:



Substance No.: GHSBBG705S

Version 6.0

Revision Date 05/21/2015 Print Date 05/21/2015

Dispose of contents/container in accordance with local regulations.

Special labelling of certain mixtures :

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 15 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

| Component | CAS-No. | Weight percent |
|-----------------------------------|-------------------|----------------|
| Ethyl lactate | 97-64-3 | 65 - 70 |
| Littyi lactate | 31-04-3 | 05 - 70 |
| n-Butyl acetate | 123-86-4 | 10 - 15 |
| Diazonaphthoquinonesulfonic ester | 67829000004-5755P | <= 5 |

Non-hazardous ingredients

| Component | CAS-No. | Weight percent |
|----------------------|-------------------|----------------|
| Cresol novolak resin | 27029-76-1 | 10 - 15 |
| Phenolic polyol | 67829000004-5521P | < 5 |

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give

oxygen. If symptoms persist, call a physician.

Skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Get medical

attention if irritation develops and persists.

Eye contact : Remove contact lenses. Flush eyes with water at least 15

minutes. Get medical attention if eye irritation develops or

persists.

Ingestion : Keep respiratory tract clear. If conscious, drink plenty of water.



Substance No.: GHSBBG705S

Version 6.0

Revision Date 05/21/2015 Print Date 05/21/2015

Never give anything by mouth to an unconscious person. Obtain medical attention.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

Flash point : 118 °F (48 °C)

Fire fighting

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Further information : In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Cool containers/tanks with water spray.

Protective equipment and precautions for firefighters

Specific hazards during

firefighting

: As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Do not allow entry to drains, water courses or soil

Prevent spreading by use of suitable barriers.

Local authorities should be advised if significant spillages

cannot be contained.

Methods for containment /

Methods for cleaning up

: Wearing appropriate personal protective equipment, contain spill, ventilate area of spill or leak, remove all sparking devices

or ignition sources, collect onto inert absorbent, and place in a

suitable container.

SECTION 7. HANDLING AND STORAGE

Handling

Handling : Do not breathe vapours or spray mist.



Substance No.: GHSBBG705S Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

Do not get on skin or clothing.

For personal protection see section 8.

Use only in area provided with appropriate exhaust ventilation.

Advice on protection against

fire and explosion

: Keep away from heat and sources of ignition.

Take measures to prevent the build up of electrostatic charge.

Avoid shock and friction.

Storage

Further information on storage conditions

: Keep container tightly closed in a dry and well-ventilated

place.

May liberate combustible solvent vapors.

Store at appropriate temperature. See label for details.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

| Components | CAS-No. | Control parameters | Basis |
|-----------------|----------|---------------------------|-----------|
| n-Butyl acetate | 123-86-4 | TWA: 150 ppm | ACGIH |
| | | STEL: 200 ppm | |
| | | TWA: 150 ppm (710 mg/m3) | OSHA Z-1 |
| | | TWA: 150 ppm (710 mg/m3) | OSHA P0 |
| | | STEL: 200 ppm (950 mg/m3) | |
| | | TWA: 150 ppm (710 mg/m3) | NIOSH REL |
| | | ST: 200 ppm (950 mg/m3) | |

Engineering measures

Engineering measures : Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Eye protection : Safety eyewear to protect against splashes.

Hand protection : Solvent-resistant gloves

Skin and body protection : Clothing suitable to prevent skin contact.



Substance No.: GHSBBG705S

Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter.

Respirator with filter for organic vapour Use NIOSH approved respiratory protection.

: Observe the usual precautions when handling chemicals. Hygiene measures

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : liquid Color : clear

> amber red

Odor : strong

ester-like

Somewhat sweet.

Safety data

Flash point : 118 °F (48 °C)

Starts to boil : 311 °F (155 °C)

Vapour pressure : ca. 4 Torr

at 68 °F (20 °C)

Density : 1.065 g/cm3

Water solubility : The solvent is partially water soluble but the product forms two

layers.

VOC : 859 g/l (Calculated value)

Loss on drying : <= 80 %

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Avoid contact with oxidizing agents.



Substance No.: GHSBBG705S Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

> Avoid contact with strong acids. Avoid contact with alkaline materials.

Hazardous decomposition

products

: Thermal decomposition may generate carbon dioxide, carbon

monoxide, and oxides of nitrogen and sulfur.

Hazardous reactions : Hazardous polymerisation does not occur.

Chemical stability : Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Data for AZ MIR 701 RESIST (11CPS)

Further information : No toxicological testing was carried out on the preparation.

Data for ETHYL (S) LACTATE (687-47-8)

Acute oral toxicity : LD50 Oral: 2,500 mg/kg

Species: mouse Source : HSDB

Acute inhalation toxicity : LC50: > 5.4 mg/l

> 5400 mg/m3 Exposure time: 8 h Species: rat

Acute dermal toxicity : LD50 Dermal: > 5,000 mg/kg

Species: rabbit Source : HSDB

Skin irritation : Species: guinea pig

Result: Irritating to skin. Method: Intradermal injection.

Source: HSDB

Eye irritation : Species: rabbit



Substance No.: GHSBBG705S

Version 6.0

Revision Date 05/21/2015 Print Date 05/21/2015

Result: Severe eye irritation

Classification: Risk of serious damage to eyes.

Source : Supplier MSDS

Repeated dose toxicity : Species: Rats

Application Route: Inhalation Exposure time: (28 d) Number of exposures: Daily

NOEL: 0.6 mg/l

Data for n-Butyl acetate (123-86-4)

Acute oral toxicity : LD50 Oral: 12,760 mg/kg

Species: rat

Source: OECD SIDS

: LD50 Oral: 10,736 mg/kg

Species: rat

Source: OECD SIDS

Acute inhalation toxicity : LC50: > 8000 ppm

Exposure time: 6 h

Species: rat

Source: OECD SIDS

Acute dermal toxicity : LD50 Dermal: > 14,080 mg/kg

Species: rabbit Source : OECD SIDS

Skin irritation : Species: rabbit

Result: No skin irritation Source : OECD SIDS

Eye irritation : Species: rabbit

Result: No eye irritation Method: Draize Test Source : OECD SIDS

Sensitisation : Guinea pig maximization test



Substance No.: GHSBBG705S

Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

Species: guinea pig

Classification: not sensitizing Result: non-sensitizing Source: OECD SIDS

Data for Diazonaphthoquinonesulfonic esters (67829000004-5546P)

Acute oral toxicity : LD50 Oral: > 5,000 mg/kg

Species: rat

By analogy with a similar product.

Skin irritation : Species: rabbit

Result: No skin irritation

: Species: rabbit Eye irritation

Result: slight irritant effect - does not require labelling

Classification: not irritating

SECTION 12. ECOLOGICAL INFORMATION

Data for AZ MIR 701 RESIST (11CPS)

Additional ecological

information

: No ecological testing was carried out on the preparation.

Data for ETHYL (S) LACTATE (687-47-8)

Ecotoxicity effects

Toxicity to fish : LC50: 320 mg/l Exposure time: 48 h

Species: Fish

Source: Supplier MSDS

Toxicity to daphnia and other : EC50: 683 mg/l

aquatic invertebrates

Exposure time: 48 h

Species: Daphnia magna Source: Supplier MSDS



Substance No.: GHSBBG705S Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

Toxicity to algae : EC50: 2,200 mg/l

Species: Selenastrum sp. Source: Supplier MSDS

Elimination information (persistence and degradability)

Bioaccumulation : Bioaccumulation is unlikely.

Biodegradability : Readily biodegradable, according to appropriate OECD test.

Source: Supplier MSDS

Data for n-Butyl acetate (123-86-4)

Ecotoxicity effects

Toxicity to fish : LC50: 18 mg/l Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

flow-through test Source : OECD SIDS

: LC50: 100 mg/l Exposure time: 96 h

Species: Lepomis macrochirus (Bluegill sunfish) Source: JP MoE, Environmental Risk Assessment of

Chemicals

Toxicity to daphnia and other : EC50: 32 mg/l

aquatic invertebrates

EC50: 32 mg/l Exposure time: 48 h

Species: Artemia salina

static test Analytical monitoring: no

Source: OECD SIDS

Toxicity to algae : EC50: 674.7 mg/l

Exposure time: 72 h

Species: Scenedesmus subspicatus

Source: OECD SIDS

Toxicity to bacteria : EC50: 959 mg/l

Exposure time: 18 h



Substance No.: GHSBBG705S

Version 6.0

Revision Date 05/21/2015 Print Date 05/21/2015

Species: Pseudomonas putida

aquatic

Method: DIN 38412 T.8 Source : OECD SIDS

Elimination information (persistence and degradability)

Biodegradability : Result: Readily biodegradable.

98 %

Source: IUCLID

Data for Diazonaphthoquinonesulfonic esters (67829000004-5546P)

Ecotoxicity effects

Toxicity to fish : LC50: 20 - 50 mg/l Exposure time: 96 h

Species: Danio rerio (zebra fish) By analogy with a similar product.

Toxicity to bacteria : EC50: > 1,000 mg/l

Method: OECD 209

Elimination information (persistence and degradability)

Biodegradability : Result: Not readily biodegradable.

Method: OECD 301 D

Further information on ecology

Chemical Oxygen Demand

(COD)

: 1.716 mg/g

SECTION 13. DISPOSAL CONSIDERATIONS

Further information : Dispose of as hazardous waste in compliance with local and

national regulations.

For disposal, this material is a flammable hazardous waste



Substance No.: GHSBBG705S Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

under RCRA.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

RCRA hazardous waste : RCRA number: D001

Yes -- If it becomes a waste as sold.

SECTION 14. TRANSPORT INFORMATION

DOT

Not restricted

IATA

UN number : 1993

Description of the goods : Flammable liquid, n.o.s.

(Ethyl lactate, n-Butyl acetate)

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

Additional data for transport : PASSENGER AIRCRAFT SHIPMENT OF GLASS

CONTAINERS >2.5L NOT PERMITTED. CARGO AIRCRAFT

ONLY!

IMDG

UN number : 1993

Description of the goods : FLAMMABLE LIQUID, N.O.S.

(Ethyl lactate, n-Butyl acetate)

Class : 3
Packing group : III
Labels : 3
EmS Number 1 : F-E
EmS Number 2 : S-E

Marine pollutant : no Environmentally hazardous : no

SECTION 15. REGULATORY INFORMATION

Notification status



Substance No.: GHSBBG705S Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

TSCA : One or more components of this product are not listed on the

TSCA Inventory. The components, however, are covered by Low Volume Exemptions (LVEs). These LVE-based products may only be used in conventional photolithographic processes consistent with their design. For any applications outside of

this intended purpose, contact the vendor first.

TSCA : One of the ingredients of this product (PMN P-94-1527) is used

under a TSCA Section 5 Significant New Use Rule, SNUR. While the SNUR allows use in photoresist formulations, it triggers TSCA Section 12B Export Notification to the US EPA for the first time it is exported to each country. See 40 CFR

707.60.

DSL : This product contains one or several components that are not

on the Canadian DSL nor NDSL.

WHMIS Classification : B3: Combustible Liquid

D2B: Toxic Material Causing Other Toxic Effects

Canadian PBT Chemicals : This product does not contain any components on the DSL that

are classified as Persistent, Bioaccumulative and Toxic (PBT)

under CEPA.

CERCLA Reportable

Quantity

n-Butyl acetate 123-86-4 5000 lbs

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.



Substance No.: GHSBBG705S Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 304 Extremely

: This material does not contain any components with a section

Hazardous Substances 304 EHS RQ.

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion

Potential

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air

Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

US. Clean Air Act - Hazardous Air Pollutants (HAP)

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

US. Clean Air Act Section 112(r); Regulated toxic and flammable substances for Accidental Release Prevention - 40 CFR 68.130 (subpart F)

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

US. Clean Air Act Section 111 SOCMI Intermediate or Final Volatile Organic Compunds (VOC) -40 CFR part 60.489

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

n-Butyl acetate 123-86-4

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

n-Butyl acetate 123-86-4



Substance No.: GHSBBG705S Revision Date 05/21/2015 Version 6.0 Print Date 05/21/2015

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table

117.3:

n-Butyl acetate 123-86-4

US State Regulations

Massachusetts Right To

Know Components

: Ethyl lactate 97-64-3

n-Butyl acetate 123-86-4

Pennsylvania Right To Know Components

: Ethyl lactate 97-64-3

n-Butyl acetate 123-86-4

Cresol novolak resin 27029-76-1

Diazonaphthoquinonesulfonic 67829000004-5755P

ester

Phenolic polyol 67829000004-5521P

New Jersey Right To Know Components : Ethyl lactate 97-64-3

n-Butyl acetate 123-86-4

Cresol novolak resin 27029-76-1

Diazonaphthoquinonesulfonic 67829000004-5755P

ester

Phenolic polyol 67829000004-5521P

California Prop. 65

Components

: This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Other Regulatory Information:

Remarks:

This product is subject to the Export and Customs Control Regulations of the United States and is not to be exported or transferred without prior notification to and approval by the vendor, and not without obtaining proper U.S.A. and local

government authorizations.



Substance No.: GHSBBG705S Version 6.0

Revision Date 05/21/2015 Print Date 05/21/2015

ECCN 3C992

SECTION 16. OTHER INFORMATION

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. For any sub-heading within any section not addressed herein, no relevant information is determined or applicable. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

AZ and the AZ logo are trademarks or registered trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.