

HMIS Index:

- 0 Minimal
- 1 Slight
- 2 Moderate
- 3 Serious
- 4 Severe

MATERIAL SAFETY DATA SHEET EP-D6000-A12C

Aqueous Dispersion

HMIS Rating:

- 1 Health
- 0 Flammability
- 0 Reactivity
- B-PPE

MSDS has been prepared in accordance with ANSI standard Z400.1-1993, EC Directive 91/155/EEC and 93/112/EEC.

SECTION I - Chemical Product and Company Identification

Trade Name EP-D6000-A12C Aqueous Dispersion Product Type Cerium Oxide Aqueous Dispersion Date Prepared May 16, 2005 Date Issued May 16, 2005 Prepared By: Michael Trembley Title: Product Stewardship Mgr.

Manufacturer/Supplier

Cabot Microelectronics Corporation 870 Commons Drive Aurora, IL 60504 Unites States Cabot Microelectronics Corporation Barry Site, Sully Moors Rd. Sully, South Glamorgam CF64 Wales, UK

Cabot Microelectronics Corporation 1287-19 Oaza-Kitakoyama Geino-cho-Age-gun Mie-Ken 514-2213 Japan

Telephone No.

630-375-5586 (U.S.) - MSDS Requests

630-375-5576 (U.S.) -Technical Information

011- 44 (0) 1446 422000 (U.K.)

011-81-59-266-0120 (Japan)

Facsimile No.

630-585-9976 (U.S.)

011-44 (0) 1446 422001 (U.K.)

011-81-59-266-0121

(Japan)

Emergency Telephone No. Chemtrec (U.S.) 800-424-9300

Chemtrec (Intl.) 703-527-3887

Cabot Microelectronics (U.S.) 630-585-9471

011-44-1446736999 (U.K.)

SECTION II - Composition/Information on Ingredients

Substance Trivial Name EP-D6000-A12C Aqueous Dispersion		Formal Name Aqueous Dispersion		Chemical Family Not Applicable	
Component Cerium (IV) Oxide	CAS No. 1306-38-3	EINECS # 215-150-4	% by Wei		EU Classification Not classified
Proprietary Ingredients	Proprietary	Proprietary	< 3%		Not classified
De-Ionized Water	7732-18-5	231-791-2	> 92	2%	Not classified

Trade Names and Synonyms

EP-D6000-A12C Aqueous Dispersion

Material Uses

Used as a polishing slurry in the semiconductor industry and other applications.

© 2004 Cabot Microelectronics Corporation.

SECTION III - Hazards Identification

Emergency Overview:

Milky white to pale yellow slurry.

Caution: May cause skin and eye irritation. Do not breath dust from dried product.

Potential Environmental Effects: None known.

Potential Health Effects

Routes of Exposure: Eye, Skin Eye: May cause slight irritation. Skin: May cause slight irritation.

Ingestion: May be harmful if swallowed.

Inhalation: Due to this material's liquid dispersion state, it is not expected to be a significant inhalation hazard.

Dried product may cause irritation to the respiratory tract.

Chronic Effects: No components listed as carcinogens by IARC, NTP, Z List or OSHA.

Teratology: None known.

Reproduction Info.: None known.

Target Organs: None known.

Medical Conditions Aggravated: None known.

SECTION IV - First Aid Measures

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms develop, seek medical attention.

Ingestion: Do not induce vomiting. If conscious and alert, rinse mouth with water. If symptoms develop seek medical attention.

Eyes: Immediately flush lightly with plenty of water for at least 15 minutes. If symptoms develop seek medical attention.

Skin: Flush affected area with water. Remove contaminated clothing. If symptoms develop seek medical attention. Advice to Physicians

Treat symptomatically if present.

SECTION V - Fire Fighting Measures Extinguishing Media Unsuitable Media Flash Point Flash Point Method Use extinguishing media Not Applicable Not Applicable Not Applicable for surrounding fire. Lower Explosive Limit **Upper Explosive Limit** Ignition in Air Not Applicable Not Applicable Not Defined Flammability Classification Flame Propagation in Air Not Applicable Not Applicable Fire Fighting Procedure Combustion Hazards No special fire fighting procedures. Not Applicable **Protective Equipment** Unusual Fire Hazards Standard personal protective equipment for structural None expected. fire fighting. **Dust Explosion Potential** Not Applicable

Static Discharge Effects

Not Applicable

Sensitivity to Impact

Not Applicable

SECTION VI - Accidental Release Measures

Personal Precautions

Safety glasses or goggles, impervious gloves and protective clothing recommended when handling. If spilled material dries, creating airborne dust concentrations that exceed the applicable exposure limit, then an approved respirator for dust/fumes is recommended.

Spill Cleanup Measures

Absorb with inert material (e.g., dry sand or earth), then place in chemical waste container. Wear appropriate PPE. See Section 8.

Environmental Precautions

Do not allow material to surface waters.

SECTION VII - Handling and Storage

Handling & Storage Precautions

Handling: Avoid skin and eye contact. Avoid generating aerosols or mists. Do not breath aerosols, mists or dust from dried product.

Storage: Keep from freezing.

Hygienic Practices

Avoid contact with skin. Wash exposed skin frequently. Good practices should be followed in regard to work clothing.

Special Precautions

None.

SECTION VIII - Exposure Controls/Personal Protection

Inhalation Standards

TLV (U.S.) = 10 mg/m3 total dust for particles not otherwise classified

PEL (U.S.) = 10 mg/m³ for nuisance dust.

MAK (Germ.) = 4 mg/m3 inhalable dust.

OES (U.K.) = 6 mg/m³ total inhalable, 2.4 mg/m³ respirable dust.

Australia (TLV) = 10 mg/m3 total dust containing no asbestos.

Eye-Face Protection

Safety glasses with side shields or goggles recommended to prevent eye contact

Skin Protection

Impervious gloves.

Protective Clothing

Wear appropriate clothing to minimize skin contact.

Respiratory Protection

None normally needed unless mists or dust are generated.

An approved air-purifying respirator (APR) for dusts/mists may be appropriate to control exposure. Protection provided by air-purifying respirators is limited. Use a positive-pressure, air supplied respirator if there is any potential for uncontrolled release, exposure levels are not known, or any circumstances where air-purifying respirators may not provide adequate protection. Use of respirators must include a complete respiratory protection program in accordance with national standards and current best practices.

The following agencies/organizations approve respirators and/or criteria for respirator programs:

U.S.: NIOSH approval under 42 CFR 84 required.

OSHA (29 CFR 1910.134)

ANSI Z88.2-1992

EU: CR592 Guidelines for the Selection and Use of Respiratory Protection.

Germany: DIN/EN 143 Respiratory Protective Devices for Dusty Materials.

UK: BS 4275 Recommendations for the Selection, Use and Maintenance of Respiratory

Protective Equipment.

HSE Guidance Note HS(G)53 Respiratory Protective Equipment.

EP-D6000-A12C 4

Engineering Controls

If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below exposure limits.

SECTION	IX - Physical a	nd Chemi	cal Properties	
Physical State Slurry	Color Milky White to pale yellow		Odor None	
Odor Threshold Not Applicable	pH 4-5		Boiling Point 100°C/212° F	
Evaporation Rate Same as water	Melting/Freezing Point 0°C/32° F		% Volatile by Volume Not Applicable	
Solubility in Water Dispersible	Specific Gravity Not Determined		Vapor Density Water	
Vapor Pressure Water	Reid Vapor Pressure Not Applicable		Water/Oil Distribution Not Applicable	
Viscosity Not Determined	Pour Point Not Applicable			
SEC	TION X - Stabi	lity and R	eactivity	
Chemical Stability Stable	Conditions to Avoid Freezing conditions		Incompatible Materials None	
Reactivity Stable	Hazardous Decomposition Nitrogen oxides, CO, CO ₂ gases		Hazardous Polymerization Will not occur	
SECT	ION XI - Toxico	ological In	formation	
Acute Toxicity Oral (rat): Not tested. Dermal (rabbit): Not tested. Inhalation (rat): Not tested. Skin Irritation: Not tested. Eye Irritation: Not tested. Carcinogenicity: Not tested. No comparing the state of the state of tested. Reproductive Toxicity: Not tested. Teratotogenicity: Not tested.		rcinogens by IAI		
Chronic Ingestion Effect None expected	Chronic Eye Effect None expected		Chronic Skin Effect None expected	
Chronic Inhalation Effect None known	Sensitization to Mat None expected	terial	Synergistic Materials None expected	
SECT	TION XII - Ecole	ogical Info	ormation	
Mobility	Persistence/Degradability The oxide component of this material will persist.		Bio-Accumulation This material is not expected to bio- accumulate.	

WGK Water Hazard Class: Not determined.

SECTION XIII - Disposal Considerations

Legal Classification

Dispose of in accordance with all applicable National, State and Local regulations. Same considerations should be given to the disposal of empty containers.

As sold, not defined as hazardous waste under U.S. RCRA (Resource Conservation and Recovery Act) regulations. Waste Key No. Not determined.

SECTION XIV - Transport Information

UN Number	UN Proper Shipping Name	UN Class		
Not applicable	Non-hazardous/Non-regulated	Not applicable		
UN Packing Group Not applicable	GGVS/GGVE/RID/ADR/IMDG- Code/ICAO-TI Information Not determined	US Rail Regulations Not determined		

SECTION XV - Regulatory Information

National Registries: All components are in compliance with the inventories below:

Australia: AICS Australian Inventory List

Canada: CEPA, Canadian Environmental Protection act, 6th Amendment, Domestic Substance List.

China: Inventory of Existing Chemical Substances in China.

Europe: EINECS, European Inventory of Existing Commercial Chemical Substances.

United States: TSCA, Toxic Substance Control Act.

Japan: MITI, Ministry of International Trade and Industry List of Existing Chemical Substances.

Korea: ECL, Existing Chemical List.

Europe (EU): This material is not defined as a dangerous substance regarding EU Directive 67/548/EEC and it's various amendments and adaptations.

U.S. Clean Air Act, 1990: No components are listed as hazardous air pollutants. No components contain or are manufactured with Class I or Class II ozone depleting chemicals, as defined in the Clean Air Act of 1990.

U.S. Clean Water Act (40 CFR 116): No components are listed.

U.S. SARA Title III - Superfund Amendments and Reauthorization Act (SARA)

Section 302: Does not contain any constituents that are identified as extremely hazardous.

Section 311/312: Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

Section 311/312 - MSDS Requirements - Not regulated.

Section 313: Does not contain any of the substances identified under Section 313 as toxic chemicals in excess of the *de minimis* concentrations necessary to be subject to this rule.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): This material is not a hazardous substance under the CERCLA. Notification of spills of this material is not required.

SECTION XVI - Other Information

Reference Sources Used

Sax, Irving N. & Lewis Sr., Richard J. Dangerous Properties of Industrial Materials, 7th Edition.

ACGIH, Documentation of TLVs and BEIs, 6th edition.

Sax, Irving N. & Lewis Sr., Richard J. Dangerous Properties of Industrial Materials, 7th Edition.xCook, Warren A., Occupational Exposure Limits Worldwide, 1988.

Revision Indicator

Revised sections of the MSDS will be indicated by an asterisk (*) in front of the section affected.

Disclaime

The information set forth is based on information which Cabot Microelectronics Corporation believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and Cabot Microelectronics Corporation assumes no legal responsibility for use or reliance thereon. Form-0802