

#### HMIS Index:

- 0 Minimal
- 1 Slight
- 2 Moderate
- 3 Serious
- 4 Severe

# MATERIAL SAFETY DATA SHEET

Semi-Sperse® 25-E Aqueous Dispersion

### HMIS Rating:

- 1 Health
- 0 Flammability
- 0 Reactivity
- B- PPE

MSDS has been prepared in accordance with ANSI standard Z400.1-1993, EC Directive 91/155/EEC and 93/112/EEC.

# SECTION I - Chemical Product and Company Identification

Trade Name Semi-Sperse® 25-E Aqueous Dispersion Product Type Silicon Dioxide Aqueous Dispersion Date Revised: October 27, 2003 Date Created: September 6, 2001 Prepared By: Michael Trembley Title: Product Stewardship Mgr.

Manufacturer/Supplier
Cabot Microelectronics Corporation

870 Commons Drive Aurora, IL 60504 United States Cabot Microelectronics Corporation Barry Site, Sully Moors Rd. Sully, South Glamorgam CF64 Wales, UK Cabot Microelectronics Corporation 1287-19 Oaza-Kitakoyama Geino-cho-Age-gun Mie-Ken 514-2213 Japan

Telephone No. 630-375-5586 (U.S.) – MSDS Request

630-375-5576 (U.S.) - Technical Information

011-44 (0) 1446 422000 (U.K.)

011-81-59-266-0120 (Japan)

Facsimile No. 630-585-9976 (U.S.)

011-44 (0) 1446 422001 (U.K.)

011-81-59-266-0121 (Japan)

Emergency Telephone No. Chemtrec (U.S.) 800-424-9300

Chemtrec (Intl.) 703-527-3887

Cabot Microelectronics (U.S.) 630-585-9471

011-44-1446736999 (U.K.)

## SECTION II - Composition/Information on Ingredients

Substance Trivial Name		Formal Name		Chemical Family
Semi-Sperse® 25-E Aqueous Dispersion		Aqueous Dispersion		Not Applicable
Component Silica, Amorphous, Crystalline	CAS No.	EINECS #	% by Weight	EU Classification
	112945-52-5	231-545-4	25	Not classified
Free De-Ionized Water	7732-18-5	231-791-2	74	eldicalqui hevro.
Potassium Hydroxide	1310 - 58-3	215-181-3	<1	Managara Casanii A Casana Angara

Trade Names and Synonyms

Semi-Sperse® 25-E Aqueous Dispersion

**Material Uses** 

Used as a polishing slurry in the semiconductor industry and other applications.

Semi-Sperse® is a registered trademark of Cabot Microelectronics Corporation. © 2003, Cabot Microelectronics Corporation.

### SECTION III - Hazards Identification

#### **Emergency Overview:**

Milky white slurry.

Caution: May cause skin and eye irritation. Do not breath dust from dried product.

Potential Environmental Effects: None expected.

Potential Health Effects

Routes of Exposure: Eye, Skin Eye: May cause slight irritation. Skin: May cause slight irritation.

Ingestion: May be harmful if swallowed.

Inhalation: Due to this materials liquid dispersion state, it is not expected to be a significant inhalation hazard. Dried product

may cause irritation to the respiratory tract.

Chronic Effects: Not listed as a carcinogen by IARC, NTP, Z List or OSHA.

Teratology: None identified

Reproduction Info.: None identified Target Organs: None identified

Medical Conditions Aggravated: None Identified

### SECTION IV - First Aid Measures

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If symptoms develop, seek medical attention. If not breathing, give artificial respiration.

Ingestion: Do not induce vomiting. If conscious and alert, rinse mouth with water. If symptoms develop seek medical

Eyes: Immediately flush lightly with plenty of water for at least 15 minutes. If symptoms develop seek medical attention. Skin: Flush affected area with water. Remove contaminated clothing. If symptoms develop seek medical attention. Advice to Physicians

Treat symptomatically if present.

## **SECTION V - Fire Fighting Measures**

Extinguishing Media	Unsuitable Media	Flash Point	Flash Point Method	
Use extinguishing media for surrounding fire.	Not Applicable	Not Applicable	Not Applicable	
Lower Explosive Limit Not Applicable	Upper Explosive Limit Not Applicable	Ignition in Air Not Defined	Prep De-forged Water	
Flammability Classification Not Applicable		Flame Propagation in Air Not Applicable	Potessium Hydrosida	
Fire Fighting Procedure No special fire fighting procedures.		Combustion Hazards Not Applicable		
Protective Equipment Standard personal protective equipment for structural fire fighting.		Unusual Fire Hazards None expected.		
Dust Explosion Potential Not Applicable		Static Discharge Effects Not Applicable		
Sensitivity to Impact Not Applicable				

## SECTION VI - Accidental Release Measures

#### Personal Precautions

Safety glasses or goggles, impervious gloves and protective clothing recommended when handling. If spilled material dries, creating airborne dust concentrations that exceed the applicable exposure limit, then an approved respirator for dust/fumes is recommended.

Spill Cleanup Measures

Absorb with inert material (e.g., dry sand or earth), then place in chemical waste container. Wear appropriate PPE. See Section 8.

#### **Environmental Precautions**

Do not allow material to surface waters.

### SECTION VII - Handling and Storage

Handling & Storage Precautions

Handling: Avoid skin and eye contact. Avoid generating aerosols or mists. Do not breath aerosols, mists or dust from dried product.

Storage: KEEP FROM FREEZING.

Hygienic Practices

Avoid contact with skin. Wash exposed skin frequently. Good practices should be followed in regard to work clothing.

#### Special Precautions

None

## SECTION VIII - Exposure Controls/Personal Protection

Inhalation Standards

TLV (U.S.) = 10 mg/m³ total dust for particles not otherwise classified.
PEL (U.S.) = 10 mg/m³ for nuisance dust.
MAK (Germ.) = 4 mg/m³ inhalable dust.
OES (U.K.) = 6 mg/m³ total inhalable, 2.4 mg/m³ respirable dust.

Australia (TLV) = 10 mg/m3 total dust containing no asbestos and <1% crystalline silica.

**Eye-Face Protection** 

Safety glasses with side shields or goggles recommended to prevent eye contact

Skin Protection

Impervious gloves.

**Protective Clothing** 

Wear appropriate clothing to minimize skin contact.

Respiratory Protection

None normally needed unless mists or dust are generated.

An approved air-purifying respirator (APR) for dusts/mists may be appropriate to control exposure. Protection provided by air-purifying respirators is limited. Use a positive-pressure, air supplied respirator if there is any potential for uncontrolled release, exposure levels are not known, or any circumstances where air-purifying respirators may not provide adequate protection. Use of respirators must include a complete respiratory protection program in accordance with national standards and current best practices.

The following agencies/organizations approve respirators and/or criteria for respirator programs:

NIOSH approval under 42 CFR 84 required.

OSHA (29 CFR 1910.134)

ANSI Z88.2-1992

CR592 Guidelines for the Selection and Use of Respiratory Protection. EU:

Germany: DIN/EN 143 Respiratory Protective Devices for Dusty Materials.

BS 4275 Recommendations for the Selection, Use and Maintenance of Respiratory Protective UK:

Equipment. HSE Guidance Note HS(G)53 Respiratory Protective Equipment.

**Engineering Controls** 

If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminates below exposure

Semi-Sperse® 25-E
Other Protective Measures
None,

SECTION	IX - Physical and C	Chemical Properties
Physical State Slurry	Color Milky White	Odor None
Odor Threshold Not Applicable	pH 10.9 – 11.2	Boiling Point 100°C/212° F
Evaporation Rate Same as water	Melting/Freezing Point 0°C/32° F	% Volatile by Volume Not Applicable
Solubility in Water Dispersible	Specific Gravity 1.166 g/cm³ @25°C	Vapor Density Water
Vapor Pressure Water	Reid Vapor Pressure Not Applicable	Water/Oil Distribution Not Applicable
Viscosity Not Determined	Pour Poi Not Applie	A STATE OF THE STA
SE	CTION X - Stability	and Reactivity
Chemical Stability Stable	Conditions to Avoid Freezing conditions	Incompatible Materials None
Reactivity Stable	Hazardous Decomposition Nitrogen oxides, CO, CO <sub>2</sub> gas	Hazardous Polymerization will not occur
SEC	TION XI - Toxicolog	ical Information
Acute Toxicity Oral (rat): Not tested Dermal (rabbit): Primary Irritation In Inhalation (rat): Not tested Skin Irritation: Not tested Eye Irritation: Minimally Irritating: T Carcinogenicity: Not listed as a car Mutagenicity: Not tested Reproductive Toxicity: Not tested Teratotogenicity: Not tested Chronic Ingestion Effect None expected Chronic Inhalation Effect None known	oxicity Category IV	
SE	CTION XII – Ecologi	cal Information
Mobility Oxide component not mobile in soil.	Persistence/Degradability The oxide component of the material will persist.	Bio-Accumulation This material is not expected to bio- accumulate.
Ecotoxicity (Untreated Silica) Acute Fish Toxicity: Not Tested Acute Daphnia Toxicity: Not Teste WGK Water Hazard Class: Not Det	d	UPC 88-4276 Proprients Equipment 156E Quitarent Note 16

# SECTION XIII - Disposal Considerations

Legal Classification

Dispose of in accordance with all applicable National, State and Local regulations. Same considerations should be given to the disposal of empty containers.

As sold, not defined as hazardous waste under U.S. RCRA (Resource Conservation and Recovery Act) regulations.

Waste Key No. Not determined.

# SECTION XIV - Transport Information

SECTION XIV - Hansport internation				
UN Number Not applicable	UN Proper Shipping Name Non-hazardous/Non-regulated	UN Class Not applicable		
UN Packing Group Not applicable	GGVS/GGVE/RID/ADR/IMDG- Code/ICAO-TI Information Not determined	US Rail Regulations Not determined		

# SECTION XV - Regulatory Information

National Registries: All components are in compliance with the inventories below:

Australia: AICS Australian Inventory List

Canada: CEPA, Canadian Environmental Protection act, 6th Amendment, Domestic Substance List.

China: Inventory of Existing Chemical Substances in China.

Europe: EINECS, European Inventory of Existing Commercial Chemical Substances.

United States: TSCA, Toxic Substance Control Act.

Japan: MITI, Ministry of International Trade and Industry List of Existing Chemical Substances.

Korea: ECL, Existing Chemical List.

Europe (EU): This material is not defined as a dangerous substance regarding EU Directive 67/548/EEC and it's various amendments and adaptations.

U.S. Clean Air Act, 1990: No components are listed as hazardous air pollutants. No components contain or are manufactured with Class I or Class II ozone depleting chemicals, as defined in the Clean Air Act of 1990.

U.S. Clean Water Act (40 CFR 116): No components are listed.

U.S. SARA Title III - Superfund Amendments and Reauthorization Act (SARA)

Section 302: Does not contain any constituents that are identified as extremely hazardous.

Section 311/312: Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

Section 311/312 - MSDS Requirements - Not regulated.

Section 313: Does not contain any of the substance identified under Section 313 as toxic chemicals in excess of the de minimis concentrations necessary to be subject to this rule.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): This material is not a hazardous substance under the CERCLA. Notification of spills of this material is not required.

# SECTION XVI - Other Information

Reference Sources Used

Sax, Irving N. & Lewis Sr., Richard J. Dangerous Properties of Industrial Materials, 7th Edition.

ACGIH, Documentation of TLVs and BEIs, 6th edition.

Sax, Irving N. & Lewis Sr., Richard J. Dangerous Properties of Industrial Materials, 7th Edition.xCook, Warren A., Occupational Exposure Limits Worldwide, 1988.

Revision Indicator

Revised sections of the MSDS will be indicated by an asterisk (\*) in front of the section affected

The information set forth is based on information which Cabot Microelectronics Corporation believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and Cabot Microelectronics Corporation assumes no legal responsibility for use or reliance thereon. Form-0802