


Safety Data Sheet per OSHA HazCom 2012



4 First-aid measures Description of first aid measures	(Contd. of page 1)
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Sulfur oxides (SOX) Hydrogen sulfide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from oxidizing agents. Store away from halocarbons. Do not store with interhalogens. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to dete purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves prior to each use for their proper condition. The selection of slutable flows on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm 	ermine if air-
	(Contd. on page 3

Body protection: Protective work clothing.

Product name: Sulfur powder, precipitated

(Contd. of page 2)

9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Various forms (powder/flake/crystalline/beads, etc.) Pale yellow Weak Color: Odor. Odor threshold: Not determined pH-value: Not applicable. Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 115.21 °C (239 °F) 444.6 °C (832 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: 999 °C (> 1830 °F) Highly flammable. 248 °C (478 °F) Not determined Auto igniting: Not determined Danger of explosion: Not determined. Explosion limits: Lower: 3.3 Vol % Upper: 46 Vol % Vapor pressure: Density at 20 °C (68 °F): Not applicable. 2.07 g/cm³ (17.274 lbs/gal) Not determined. Relative density Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: kinematic: Not applicable. Not applicable. No further relevant information available. Other information 10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Ovidizing agents Oxidizing agents Halocarbons Interhalogens Hazardous decomposition products: Sulfur oxides (SOx Hydrogen sulfide 11 Toxicological information Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product. LD/LC50 values that are relevant for classification: Inhalative LC50 1660 mg/m3 (mam) Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: Ceneral notes: General notes: Do not allow material to be released to the environment without proper governmental permits. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable Other adverse effects No further relevant information available.

Product name: Sulfur powder, precipitated (Contd. of page 3) 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN1350 UN proper shipping name DOT Sulfu IMDG, IATA SULPHUR Transport hazard class(es) DOT 4.1 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives 4.1 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Class Label Class Label IMDG, IATA UM Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Label 4.1 Packing group DOT, IMDG, IATA Ш Environmental hazards: Not applicable. Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives EMS Number: F-'A,S-G Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1350, Sulfur, 4.1, III 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS02 GHS07 Signal word Danger Hazard statements H228 Flammable solid H315 Causes skin irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Wear protective gloves/protective cloaning/eye protection/rate P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P362 Take off contaminated clothing and wash before reuse. P321 Specific treatment (see on this label). National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Product name: Sulfur powder, precipitated

(Contd. of page 4)

USA

(4 Department issuing SDS: Global Marketing Department Date of preparation / last revision 12/01/2015 / -Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DDT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent UPOS: Logy Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MRF: National Toxicology Program (USA) IRF: International Agency (USA) Flam, Sol. 1: Flammable solids, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2