TECHNIC, INC.MATERIAL SAFETY DATA SHEET

TRADE MARKE 4	- PRODUCT II	DENTIFICATION -	With the same of t
TRADE NAME (as labeled): CHEMICAL NAMES, COMMON N. MANUFACTURER'S NAME & ADDITECHNIC, INC.	AMES: Polyglyc	II PC-75 CARRIER	
1 SPECTACLE STREET CRANSTON, RI 02910		NAME OF PREPARER:	William A. Wilson
EMERGENCY PHONE: (401)781-6	100	DATE PREPARED:	May 23, 1997
24 hour Emergency: Chem Trec	1-800-424-9300		
SECTION II	HAZARDOUS INC	GREDIENTS	*
CHEMICAL NAMES	CAS NUMBER	PERCENT	EXPOSURE LIMITS
Chemical constituents of this pro	oduct are considered	to be non-hazardous.	
All ingredients are listed in the TS	CA inventory.		
SECTION III		DEDTIFO	
SECTION III VAPOR DENSITY (AIR=1)	- PHYSICAL PRO		
VAPOR DENSITY (AIR=1)	PHYSICAL PRO	SPECIFIC GRAVITY:	1.01
VAPOR DENSITY (AIR=1) VAPOR PRESSURE (mm Hg)	PHYSICAL PRO	SPECIFIC GRAVITY: MELTING POINT (degree	es F) N.A.
VAPOR DENSITY (AIR=1) VAPOR PRESSURE (mm Hg) EVAPORATION RATE (BUTYL ACETATE=1) SOLUBILITY IN WATER:	PHYSICAL PRO	SPECIFIC GRAVITY:	es F) N.A.
VAPOR DENSITY (AIR=1)	PHYSICAL PRO N.A. N.A. N.A.	SPECIFIC GRAVITY: MELTING POINT (degree ph	es F) N.A. es F) > 212 ° F
VAPOR DENSITY (AIR=1) VAPOR PRESSURE (mm Hg) EVAPORATION RATE (BUTYL ACETATE=1) SOLUBILITY IN WATER:	PHYSICAL PRO N.A. N.A. N.A. Complete. Clear, colorless lice	SPECIFIC GRAVITY: MELTING POINT (degree BOILING POINT (degree pH quid; no odor.	es F) N.A. es F) > 212 ° F
VAPOR DENSITY (AIR=1) VAPOR PRESSURE (mm Hg) EVAPORATION RATE (BUTYL ACETATE=1) SOLUBILITY IN WATER: APPEARANCE AND ODOR: SECTION IV. ELASH POINT (OF) (METHOD USED): AUTOIGNITION TEMPERATURE, F.	PHYSICAL PRO N.A. N.A. N.A. Complete.	SPECIFIC GRAVITY: MELTING POINT (degree BOILING POINT (degree pH quid; no odor.	es F) N.A. es F) > 212 ° F
VAPOR DENSITY (AIR=1) VAPOR PRESSURE (mm Hg) EVAPORATION RATE (BUTYL ACETATE=1) SOLUBILITY IN WATER: APPEARANCE AND ODOR: SECTION IV. ELASH POINT (OF) (METHOD USED): AUTOIGNITION TEMPERATURE, F. LAMMABLE LIMITS IN AIR, VOLUME %:	PHYSICAL PRO N.A. N.A. N.A. Complete. Clear, colorless lic. FIRE AND EXPL. N.A.	SPECIFIC GRAVITY: MELTING POINT (degree BOILING POINT (degree pH quid; no odor. OSION	ees F) N.A. ees F) > 212 ° F 6-8
VAPOR DENSITY (AIR=1) VAPOR PRESSURE (mm Hg) EVAPORATION RATE (BUTYL ACETATE=1) SOLUBILITY IN WATER: APPEARANCE AND ODOR: SECTION IV.	PHYSICAL PRO N.A. N.A. N.A. Complete. Clear, colorless lic FIRE AND EXPL N.A. N.A. LOWER L	SPECIFIC GRAVITY: MELTING POINT (degree BOILING POINT (degree pH quid; no odor. OSION	ees F) N.A. ees F) > 212 ° F 6-8
VAPOR DENSITY (AIR=1) VAPOR PRESSURE (mm Hg) EVAPORATION RATE (BUTYL ACETATE=1) SOLUBILITY IN WATER: APPEARANCE AND ODOR: SECTION IV. ELASH POINT (OF) (METHOD USED): AUTOIGNITION TEMPERATURE, F. LAMMABLE LIMITS IN AIR, VOLUME %:	PHYSICAL PRO N.A. N.A. N.A. Complete. Clear, colorless lic FIRE AND EXPL N.A. N.A. LOWER L	SPECIFIC GRAVITY: MELTING POINT (degree BOILING POINT (degree pH quid; no odor. OSION	ees F) N.A. ees F) > 212 ° F 6-8

PDF created with pdfFactory trial version
www.pdffactory.com

PAGE 2 OF 3		PRODUCT: TECHNI PC-75 CARRIER		
SECTION V -		HEALTH HAZARD INFORMATION		
SYMPTOMS OF	OVER-EXPOSURE	FOR EACH POTENTIAL ROUTE OF EXPOSURE.		
CONTACT WITH SKIN OR EYES: Dire		longed exposure may cause slight irritation to sensitive individuals. ect contact may cause slight irritation to sensitive skin and ssible temporary eye irritation.		
SWALLOWED:	, , M	ay cause nausea and diarrhea.		
HEALTH EFFECTS SPACE IS NEEDE	OR RISKS FROM E	EXPOSURE. EXPLAIN IN LAY TERMS. ATTACH EXTRA PAGE IF MORE		
ACUTE:	Se	ee symptoms of over-exposure.		
CHRONIC:		one.		
	RGENCY PROCED	URES		
EYE CONTACT:	/E CONTACT: Flush with water for 15 minutes and contact physician.			
SKIN CONTACT:	Wash with soap a	nd water. Remove contaminated clothing and launder before rewearing.		
INHALED:	LED: Move patient to fresh air. Contact physician in case of respiratory tract irritation.			
SWALLOWED:	VALLOWED: If patient is conscious, dilute by drinking at least two glasses of water. Obtain immediate medical attention.			
SUSPECTED CAN	CER AGENT?	X NO YES		
SECTION VI -		REACTIVITY DATA		
STABILITY:	X STABLE	UNSTABLE		
CONDITIONS TO AV	OID:	None.		
	ATERIALS TO AVOID)	oxidizing agents and materials reactive with hydroxyl compounds.		
THE DOUG DECON	FOSITION PRODUCTS	(INCLUDING COMBUSTION PRODUCTS): Carbon oxides.		
HAZARDOUS POLYMERIZATION:		MAY OCCUR X WILL NOT OCCUR		
CONDITIONS TO AVOID:		No special precautions required.		

PDF created with pdfFactory trial version <u>www.pdffactory.com</u>

Flush with water to waste treatment system.

WASTE DISPOSAL: SHOULD BE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

SECTION VIII SPECIAL HANDLING INFORMATION

VENTILATION: General ventilation.

RESPIRATORY PROTECTION: Not normally required.

EYE PROTECTION: Chemical splash goggles.

GLOVES: Chemical resistant rubber or vinyl gloves.

OTHER CLOTHING AND EQUIPMENT: No special requirements.

WORK PRACTICES, HYGIENIC PRACTICES: Wash hands after handling and before eating or smoking.

OTHER HANDLING AND STORAGE REQUIREMENTS: No special requirements.

