## MATERIAL SAFETY DATA SHEET

	PRODUCT IDENTIFICATION TECHNIC CU 2300 CARRIER		
CHEMICAL NAMES, COMMON NAMES	S:		
MANUFACTURER'S NAME & ADDRES	SS: PROI	PRODUCT CODE NO. ATD170734	
TECHNIC, INC. 1 SPECTACLE STREET CRANSTON, RI 02910 EMERGENCY PHONE: (401) 781-6100		NAME OF PREPARER: Allan H. Reed DATE PREPARED: MAY 29, 2002	
24 hour Emergency: Chem Trec 1-800			
SECTION II	ZARDOUS INGREDIE	ENTS —	
Chemical constituents of this product is not regulated as a This product does not contain ing For purposes of the New Jersey R All ingredients are listed in the TS	toxic chemical under Sec redients regulated by the light To Know Law, the co	ction 313 of Title III/SARA, an California Proposition 65 lis	t.
SECTION III ————— PH VAPOR DENSITY (AIR=1)	YSICAL PROPERTIES	S SPECIFIC GRAVITY:	1.0-1.01
VAPOR PRESSURE ( mm Hg)	N.D.	MELTING POINT (degrees i	F): N.D.
EVAPORATION RATE (BUTYL ACETATE= SOLUBILITY IN WATER: APPEARANCE AND ODOR:	Complete. Pale blue liquid; no o	BOILING POINT (degrees F pH: dor.	): >212°F 5-7
SECTION IV FLASH POINT (°F) (METHOD USED) AUTOIGNITION TEMPERATURE, F. FLAMMABLE LIMITS IN AIR, VOLUME %:	RE AND EXPLOSION N.A. (Does not burn. N.A. LOWER LIMIT		T <u>N.A.</u>
FIRE EXTINGUISHING MATERIALS: WATER SPRAY	Use media appropria	ate for the surrounding fire.  OTHER	-
FOAM	DRY CHEMICAL		
Special Firefighting Procedures:	If fully involved in a fi	re, wear a NIOSH/MSHA appr	roved, self-containe

PRODUCT: TECHNIC CU CARRIER PAGE 2 OF 3 UNUSUAL FIRE AND EXPLOSION HAZARDS: None. HEALTH HAZARD INFORMATION SECTION V SYMPTOMS OF OVER-EXPOSURE FOR EACH POTENTIAL ROUTE OF EXPOSURE. Prolonged exposure may cause slight irritation to sensitive INHALATION: individuals. Direct contact may cause slight irritation to sensitive skin and possible CONTACT WITH SKIN OR EYES: temporary eye irritation. ABSORBED THROUGH SKIN: May cause temporary irritation. May cause nausea and diarrhea. SWALLOWED: HEALTH EFFECTS OF RISKS FROM EXPOSURE, EXPLAIN IN LAY TERMS, ATTACH EXTRA PAGE IF MORE SPACE IS NEEDED. ACUTE: See symptoms of over-exposure above. CHRONIC: None reported. FIRST AID: **EMERGENCY PROCEDURES** EYE CONTACT: Flush with water, including under lids, for fifteen minutes. Obtain immediate medical attention. SKIN CONTACT: Remove contaminated clothing and wash affected area thoroughly with soap and water. Launder clothing before rewearing. Seek medical attention for prolonged skin irritation. Remove patient to fresh air. Support breathing if required. Obtain medical treatment for INHALED: dizziness, unconsciousness, or irritation or difficulty in breathing. SWALLOWED: If patient is conscious, rinse mouth and drink at least two large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Obtain immediate medical attention. SUSPECTED CANCER AGENT? \_\_\_\_\_ NO SECTION VI REACTIVITY DATA Stability: Stable Unstable CONDITIONS TO AVOID None. INCOMPATIBILITY (MATERIALS TO AVOID): None reported.

Carbon oxides.

HAZARDOUS DECOMPOSITION PRODUCTS (INCLUDING COMBUSTION PRODUCTS):

PAGE 3 OF 3

## PRODUCT: TECHNIC CU 2300 CARRIER

HAZARDOUS POLYMERIZATION:	MAY OCCUR X WILL NOT OCCUR		
CONDITIONS TO AVOIDS:	No special precautions required.		
SECTION VII	SPILL, LEAK AND DISPOSAL PROCEDURES -		
STEPS TO BE TAKEN IN CASE MATE	ERIAL IS RELEASED OR SPILLED		
Flush with water to waste tre sewers or other waterways d	atment system. Do not allow undiluted material to enter storm or sanitary irectly.		
WASTE DISPOSAL: SHOULD ENVIRONMENTAL CONTROL	BE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.		
SECTION VIII	SPECIAL HANDLING INFORMATION		
VENTILATION:	General mechanical ventilation.		
RESPIRATORY PROTECTION:	Not normally required.		
EYE PROTECTION:	Chemical splash goggles.		
GLOVES:	Chemical resistant rubber or vinyl gloves.		
OTHER CLOTHING AND EQUIPMENT	Γ: Rubber apron (optional).		
WORK PRACTICES, HYGIENIC PRAC	CTICES: Wash hands after handling and before eating or smoking.		
OTHER HANDLING AND STORAGE F	REQUIREMENTS: Keep container closed. Store in a cool, ventilated, dry area. Avoid contact with skin and eyes.		