

MATERIAL SAFETY DATA SHEET



Section 1. Identity of Material

PRODUCT NAME OR NUMBER Ultra-Blak 465-B						
REGULATED	DOT PROPER SHIPPING NAME Chemicals N.O.S. Liquid					
IDENTIFICATION	SHIPPING ID NUMBER UN NA DOT HAZARD CLASS Nonhazardous					

Section 2. Hazard Specifications

Section 313 Supplier Notification: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372 or other hazards under 29 CFR 1910.1200.

		% BY			
CAS NUMBER	CHEMICAL NAME	WEIGHT	PEL=	TLV=	CARCINOGEN
7440-48-4	None in Section 313		0.1 mg/m ³	N/A	NO
	None in CFR 1910.1200				
	Water & other non-hazardous, non-listed or non-reportable materials	100			

KNOWN HAZARDS UNDER 29 CFR 1910.1200					
	YES	NO		YES	NO
CORROSIVE MATERIAL		Х	SKIN HAZARD		Х
FLAMMABLE MATERIAL		Χ	EYE HAZARD		Х
PYROPHORIC MATERIAL		Χ	TOXIC AGENT		Х
EXPLOSIVE MATERIAL		Х	HIGHLY TOXIC AGENT		Х
UNSTABLE MATERIAL		Χ	SENSITIZER		X
WATER REACTIVE MATERIAL		Х	REPRODUCTIVE TOXIN		Х
OXIDIZER		Χ	BLOOD TOXIN		Х
ORGANIC PEROXIDE		Х	NERVOUS SYSTEM TOXIN		Х
COMBUSTIBLE LIQUID		Χ	LUNG TOXIN		X
COMPRESSED GAS		Χ	LIVER TOXIN		Х
IRRITANT		Χ	KIDNEY TOXIN		Х
			RESPIRATORY SYSTEM		Х

HMIS - HAZARD SIGNALS				
HEALTH	1	FLAMMABILITY	0	
REACTIVITY	0	PERSONAL PROTECTION	С	
0=Minimal 1=Slight 2=M	loderate 3:	=Serious 4=Severe		

Section 3. Safe Usage Data

PROTECTIVE	EYES Safety glasses. It is generally recognized that contact lenses should not be worn when working with chemicals because they may contribute to the severity of an eye injury.				
EQUIPMENT	RESPIRATORY Wear a NIOSH approved respirator appropriate for the vapor or mist at the point of use.				
TYPES	GLOVES Rubber				
	OTHER Long sleeved shirt and trousers				
VENTILATION	GENERAL MECHANICAL Yes				
	LOCAL EXHAUST Preferred to maintain emissions at point of use below the PEL.				
PRECAUTIONS	HANDLING & STORAGE Keep in closed container in a dry, well-ventilated area away from incompatible materials. Wash thoroughly after handling. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings on container as if they were full.				
	OTHER Avoid contact with eyes, skin and clothing.				
INCOMPATIBILITY	MATERIALS TO AVOID None				

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.

Section 4. Emergency Response Data							
	EXTINGUISHING MEDIA CO ₂ , dry chemical, water spray						
FIRE	SPECIAL PROCEDURES None						
	UNUSUAL HAZARDS None						
	EYE: Flush ey	yes wit	n large amounts of water for at least 15 minutes. See a p	hysician if irritation persists.			
EXPOSURE	SKIN: Wash	skin wi	th soap and water.				
FIRST AID	INHALATION:	INHALATION: Move subject to fresh air.					
	INGESTION: If swallowed, give person 2 to 4 glasses of water and induce vomiting if victim is conscious. See a physician.						
SPILLS	STEPS TO BE TAKEN Wear eye protection. Dike and contain spill with sand or earth. Transfer liquid to container for recovery or disposal. Flush cleaned area with water. Keep spills and cleaning run-off out of municipal sewers and open sources of fresh						
RQ= NA	water. WASTE DISPOSAL METHOD Consult appropriate federal, state and local regulations for disposal. Empty containers are subject to same regulations.						
	•		Section 5. Physical Hazard Data				
FLAMMABILITY	FLASHPOINT	No	ne °F °C	METHOD USED:			
	STABLE	Х	CONDITIONS TO AVOID: None				
STABILITY	UNSTABLE		HAZARDOUS DECOMPOSITION PRODUCTS: Toxic decomposition.	fumes and metal oxides may be present during			
HAZARDOUS POLYMERIZATION	MAY OCCUR		WILL NOT OCCUR X AVOID:				
	!		Section 6. Health Hazard Data				
EFFECTS OF EXPOSURE, SIGNS AND SYMPTOMS: Irritating to eyes. Irritating to skin and respiratory system and may cause allergic reaction. If swallowed it may be harmful.							
PRIMARY ROUTES OF ENTRY							
□ INHALATION □ INGESTION □ SKIN ABSORPTION ⋈ SKIN OR EYE CONTACT							
Section 7. Physical and Chemical Properties							
BOILING PT= 220°F		VOLATILE COMPONENTS Water					
pH= 8.42 VAPOR D water			VAPOR DENSITY (AIR=1) Approx. equal to water	EVAPORATION RATE (water =1) approx. = 1			
SOLUBILITY IN WATER Complete WILL DISSOLVE IN Water							
APPEARANCE Clea	r Solution	MATERIAL IS: LIQUID POWDER					
ODOR Odorless							
Section 8. Manufacturer Data							
FIRM'S NAME & MAILING ADDRESS: Electrochemical Products Inc. 17000 Lincoln, New Berlin, WI 53151							
Date Prepared or Revised: 4/22/09			Supersedes Those Dated: 4/10/06, 12/5/00	EMERGENCY TELEPHONE NO. Business Hours: 262-786-9330 Other Times: Chemtrec 800-424 -9300 Day or Night			
<u> </u>	800-424 -9300 Day of Night						